# RCO SPARCO SPA



RCO SPARCO SPA
UED ESPARCO SPA
SPACO SPANNING SPARCO
SPANNING SPARCO
SPANNING SPANNI

# 2023 SPARCO FORMULA 1 TEAMS







THE NEW ERA

# THE NEW WORLD STANDARD FOR A MORE SUSTAINABLE FUTURE.



- VIRTUOUS CIRCULAR PRODUCTION CYCLE
  Life Cycle Assessment (LCA) certified.
- ZERO WASTE TARGET

  More than 51% of regenerated fibers.

FULLY OWNED TECHNOLOGY

Fully controlled textile supply chain with innovative techniques for the spinning and weaving of regenerated fibers.

CORPORATE SOCIAL RESPONSIBILITY

Publication of the Sustainability Report for the years 2021 and 2022.

® WELCOME TO THE SPARCO WORLD.



# **INDEX**

SPARCO / CATALOGUE 2023

## RACING

pg. 10 - 251

Suits - Underwear - Shoes - Gloves - Helmets - Seats Harnesses - Steering Wheels - Mechanics / Technical

## MAPTING **KARTING**

pg. 252 - 311

Suits - Underwear - Shoes - Gloves Protections - Helmets

## DEDEMDMARCE **PERFORMANCE**

pg. 312 - 341

## B-GDMDTG E-SPORTS

pg. 342 - 371

Sim Racing - Chairs

# TEAMW/EAP **LIFESTYLE**

pg. 372 - 423

Teamwear - Bags - Clothing - Accessories Youth - Baby











### YOUTH BODY SIZE CHART INSEAM LEG TOTAL CROTCH FRONT EXTERNAL WAIST PELVIS THIGH SHOULDER SLEEVE BACK NECK BABY LEG HEIGHT WEIGHT CIRCUMF. CIRCUMF. LENGHT CIRCUMF. WIDTH LENGHT CIRCUMF LENGHT LENGHT LENGHT LENGHT KG CM CM CM CM CM CM CM CM AGE/SIZE В С D Е G 6-7/120 60-63 55-60 69-71 37-39 28-30 44-47 41-44 67-71 52-54 29-31 32-34 104-106 116-125 20-23 64-67 61-63 72-75 40-42 31-33 48-51 45-48 75-79 57-60 32-34 34-36 107-110 126-135 24-28 10-11/140 68-71 64-67 76-79 43-44 34-36 52-55 49-52 83-87 63-66 35-37 37-39 111-113 | 136-145 | 29-36 72-75 68-71 80-83 45-47 37-39 56-59 53-56 91-95 69-72 38-41 40-42 114-117 146-155

M	AN	BODY 9	SIZE CH	IART										
М	AN	CHEST CIRCUMF.	WAIST CIRCUMF.	PELVIS CIRCUMF.	THIGH CIRCUMF.	SHOULDER WIDTH	SLEEVE LENGHT	FRONT CHEST LENGHT	EXTERNAL LEG LENGHT	INSEAM LEG LENGHT	BACK LENGHT	NECK CIRCUMF.	HEIGHT	WEIGHT
		CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	CM	KG
SIZ	'ES	А	В	С	D	E	F	G	Н	L	М	N		
XS	44	86-89	74-77	86-89	45-48	37-40	54-57	62-64	97-100	72-74	41-43	37-38	164-167	54
XS	46	90-93	78-81	90-93	47-50	39-42	56-59	64-66	98-101	73-75	42-43	38-39	167-170	60
s -	48	94-97	82-85	94-97	49-52	41-44	58-61	66-68	99-102	74-76	42-44	39-40	170-173	66
5	50	98-101	86-87	98-101	51-54	42-46	60-63	68-70	100-103	75-77	43-44	40-41	173-176	72
	52	102-105	88-93	102-105	54-57	45-48	62-65	70-72	101-104	76-78	44-45	41-42	176-179	78
М	54	106-109	94-97	106-109	56-59	47-50	64-67	72-74	102-105	77-79	45-46	42-43	179-182	84
	56	110-113	98-101	110-113	59-62	49-52	66-69	74-76	103-106	78-80	46-48	43-44	182-185	90
-	58	114-117	102-105	114-117	61-64	51-54	68-71	76-78	103-107	79-81	48-49	45-46	185-188	96
VI	60	118-121	106-109	118-121	64-67	53-56	70-73	78-80	105-108	80-82	49-51	46-47	188-191	102
XL	62	122-125	110-113	122-125	67-70	56-58	72-75	80-82	107-110	81-83	51-52	47-48	191-194	108
VVI	64	126-129	114-117	126-129	69-72	57-60	74-77	82-84	108-111	82-84	52-54	49-50	194-197	114
XXL	66	130-133	118-121	130-133	72-75	59-62	76-79	84-86	109-112	83-85	53-55	51-52	197-200	120

NB: If Your measurements differ from standard size, please verify with a tailor measuring tape and complete the Driver's chart measurements; it's recommended also complete the optional measures. Please note that these physical measurements charts are indicative only for commercial purposes, then are only usefull for Sparco products. Note only for the youths product sizes: Take into account any uses of chest protectors and its related footprint.

LADY BODY SIZE CHART (CM)												
WOMAN				BREAST TAKEN ON THE MOST PROMINENT	WAIST CIRCUMF	PELVIS CIRCUMF.	THIGH CIRCUMF.	ARM OUTSIDE	INSIDE LEG LENGHT	WEIGHT	HEIGHT	
INTERN. SIZES	UK	US	TG	A	В	С	D	F	L	KG	CM	
		2	38	78-81	60-63	84-87	51-52	55-58	71-73	45-49	160-162	
XXS	6		40	82-85	64-67	88-91	52-53	56-59	72-74	50-54	162-164	
XS		4	42	86-89	68-71	92-95	53-54	57-60	73-75	55-59	164-166	
S	8		44	90-93	72-75	96-99	55-56	58-61	74-76	60-64	166-168	
М	10	6	46	94-97	76-79	100-103	57-58	59-62	75-77	65-69	168-170	
L	10		48	98-101	80-83	104-107	59-60	60-63	76-78	70-74	170-172	
	12	8	50	102-105	84-87	108-111	61-62	61-64	77-79	75-79	172-174	




Please note that this table is only intended as a guide and can differ from manufacturers measumerents.

WIDTH CM	17	18,3	19,7	21	22,3	23	23,7	24,3	25	25,7	26,3	27	27,7	28,3	29	29,6	30,3	31	31,6
EUROPE	26	28	30	32	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	11	12	13	1	2	2,5	3,5	4	5	5,5	6,5	7	8	9	9,5	10,5	11	12	13
USA	9,5	11	12,5	1	3	3,5	4,5	5	6	6,5	7,5	8	9	10	10,5	11,5	12	13	14



	A											
SIZES	4	5	6	7	8	9	10	11	12	13		
INCH.	6,3-6,7	6,7-7	7-7 ½	71⁄2-8	8-81⁄≥	81/2-8,9	8,9 - 9,2	9,2 - 9,6	9,6 - 9,8	9,8 - 10		
СМ	16-17	17-18	18-19	19-20,5	20,5-21,5	21,5-22,5	22,5-23,5	23,5-24,5	24,5-25	25-25,5		
USA	YXS	XXXXS	XXXS	XXS	XS	S	М	L	XL	XXL		

# MADE TO MEASURE CHART



A	CHEST CIRCUMFERENCES
am. [	

Run tape measure under armpit, put in the largest part of the chest in horizontal position, arms relaxed at your sides.

### B WAIST CIRCUMFERENCE

n:

Run tape measure around waist horizontally, arms at your sides.

### C HIPS CIRCUMFERENCE

1:

Run tape measure around hips at the widest point, arms at your sides. (1820 cm under waist point)

### D THIGH CIRCUMFERENCE

Measure the largest part of the thigh. Tape should be around 10 cm from below the crotch.

### E SHOULDER WIDTH

1:

Arms at your sides, run tape measure from bone to bone.

### F SLEEVE LENGTH

1:

Start the measurement from shoulder bone, running ground elbow (arm flexed) ending at wrist.

### G FRONTAL CHEST LENGTH

cm:

Take the measure starting from the notch of the neck down to below the crotch.

### H EXTERNAL LEG

em:

Run tape from waist to ankle bone.

### L INTERNAL LEG

cm:

Run tape from crotch to internal ankle bone.

### M BASE OF NECK TO WAIST

cm:

Run the tape measure from lower vertebra of the neck to the waist.

### N NECK CIRCUMFERENCE

em:

Run your tape measure around the neck at the thickest point.

### BICEP CIRCUMFERENCE

em:

Run the tape measure around the widest point of the biceps.

### P TORSO LENGTH

cm:

Starting from the notch of the neck in front, run tape through crotch to base of neck in back

### Q CALF CIRCUMFERENCE

cm:

Run tape measure around the widest point of the calf.

### R NECK TO WAIST (FRONT)

cm:

Run tape measure from notch of the neck

### S FOREARM CIRCUMFERENCE

S TOKEA

Run tape measure around waist horizontally, arms at your sides.

### T WRIST CIRCUMFERENCE

cm:

Run the tape measure around the wrist bone.

### U CHEST WIDHT

m:

Arms at your sides, run tape measure from armpit to armpit.

### BACK WIDTH

cm:

## Arms at your sides, run tape measure from armpit to armpit.

Z ANKLE CIRCUMFERENCE

### m: \_\_\_\_\_

Run the tape measure around the ankle bone.

We recommend sending photos of your full figure in the positions shown above to better understand the distribution of your measurements.

7

# STANDARD COLOUR

# **CHARTS**

### **PRIME**



### **SUPERLEGGERA**

MT0100008NR

MT0100008B0	MT0100008GRL	MT0100008GR423C	MT0100008GR431C	MT01000087545C	MT0100008GRS	MT0100008GR152
MT0100008AMR	MT0100008VDLT	MT0100008MG	MT0100008285C	MT0100008CE	MT0100008AZ	MT0100008BM
MT0100008RS201C	MT0100008RS	MT0100008AR804C	MT0100008AR166C	MT0100008AR149	MT0100008GL	MT0100008GF

### MT0100008NR

### **VICTORY**

MT0100008B0	MT0100042GR431C	MT0100042NR	MT0100042BRFXC



### **FUTURA**

MT010047LB0	MT010047LGR423C	MT010047LNR	MT010047BM116B	MT010047LBM	MT010047LBEL	MT010047LAZ
MT010047LVF	MT010047LGF	MT010047LRCI	MT010047LPINK			

SPRINT										
MT010047LB0	MT010047LGR423C	MT010047LNR	MT010047BM116B	MT010047LBM	MT010047LBEL	MT010047LAZ				
MENTALORIALIVE	NT01004715F	MT0100471 PE	MTD10047 DINK							
MT010047LVF	MT010047LGF	MT010047LRCI	MT010047LPINK							

### **ADVENTURE**

MT0100008WB0	MT0100008WGRS	MT0100008WNR	MT0100008WBM	MT0100008WRS

### **ICE VEST**

MT0100008B0	MT0100008GRL	MT0100008GR423C	MT0100008GR431C	MT01000087545C	MT0100008GRS	MT0100008GR152
MT0100008AMR	MT0100008VDLT	MT0100008MG	MT0100008285C	MT0100008CE	MT0100008AZ	MT0100008BM
MT0100008RS201C	MT0100008RS	MT0100008AR804C	MT0100008AR166C	MT0100008AR149	MT0100008GL	MT0100008GF

### **JACKET • PANT FIA**

MT0100008B0	MT010008GRL	MT0100008GR423C	MT0100008GR431C	MT01000087545C	MT0100008GRS	MT0100008GR152
MT0100008AMR	MT0100008VDLT	MT0100008MG	MT0100008285C	MT0100008CE	MT0100008AZ	MT0100008BM
MT0100008R5201C	MT0100008RS	MT0100008AR804C	MT0100008AR166C	MT0100008AR149	MT0100008GL	MT0100008GF



# **SUITS INDEX**

### PRIME **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** ON DEMAND







### **VINTAGE CLASSIC**

HOMOLOGATION: FIA 8856-2018 SFI 3.2A/5

**SIZES:** 48-66 **CUSTOMIZATION:** ON DEMAND



### **SUPERLEGGERA**

### **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** 

- CUSTOM EASY
- ON DEMAND













### FUTURA NEW

HOMOLOGATION: FIA 8856-2018 **SIZES:** 48-66 **CUSTOMIZATION:** 

- ON DEMAND







001155..RS



### INFINITY 5.0 NEW

### **HOMOLOGATION:**

FIA 8856-2018 SFI 3.4/5 ON DEMAND SIZES: ON DEMAND **CUSTOMIZATION:** ON DEMAND



### SPRINT

### **HOMOLOGATION:**

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66

- **CUSTOMIZATION:** CUSTOM EASY
- 3D CONFIGURATOR
- ON DEMAND















### VICTORY NEW

### HOMOLOGATION:

FIA 8856-2018 SFI 3.2A/5 **SIZES:** 48-66 **CUSTOMIZATION:** ON DEMAND







### ONE

HOMOLOGATION: SFI 3.2A/1 SIZES: S-XXL **CUSTOMIZATION:** NOT CUSTOMIZABLE







### COMPETITION

### **HOMOLOGATION:** FIA 8856-2018

SFI 3.2A/5 **MAN SIZES:** 48-66 **LADY SIZES: 36-50 CUSTOMIZATION:** ON DEMAND











**ADVENTURE** JACKET NEW **HOMOLOGATION:** FIA 8856-2018 **SIZES:** 48-66 **CUSTOMIZATION:** 

ON DEMAND



ICE **VEST** NEW SIZES: XS-XXXL **CUSTOMIZATION:** ON DEMAND



001014SI..

12

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS



Full floating 360° Arm Gussets.



Large rear stretch panel.



Breathable inner thigh stretch insert.

# MAXIMUM LEVEL OF PERFORMANCE



LADY FIT ON DEMAND

001146..NR

001146..BI

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: CUSTOM EASY / ON DEMAND



## HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



Breathable inner thigh stretch insert.

# LIGHTNESS UNMATCHED





001142..BMBI 001142..GSGF

001142..NBAZ 001142..NRGR

# **INFINITY 5.0**

HOMOLOGATION: FIA 8856-2018 - (SFI 3.4/5 ON DEMAND) SIZES: 48-66 CUSTOMIZATION: ON DEMAND



NEW





### HIGHLIGHTS



Extraction handle.



Elasticated rear and side inserts.



Sublimation printing graphics.





Unlimited creativity thanks to the latest technology in sublimation printing.

New light compound (2 layers).



0011030..GSGF


**APPROVED** 

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 (ON DEMAND) SIZES: 48-66 CUSTOMIZATION: ON DEMAND

MANUFACTURER: SPARCO MODEL: R562 HOM. NO: DC.105.20-O FIA STANDARD: 8856-2018



### HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



Hidden pockets.

# PATENTED SPARCO TECHNOLOGY











001156H..BNRS



001156H..BGBL 001156H..GNAR 001156H..NGB0

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 / COMPETITION LADY 36-50 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS



Extraction handle.



Large rear stretch panel.



Breathable inner thigh stretch insert.

### COMPETITION READY



001144..NRGF 001144..BMBB 001144..NBGR



—— COMPETITION LADY ——— 001144L..BRNR 001144L..NRRB

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 48-66 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS



Original Sparco epaulets.



Form fitting rear elastic.



Period correct front belt.

### RETRO STYLE WITH **MODERN TECHNOLOGY**




001144V..

APPROVED

MANUFACTURER: SPARCO MODEL: R579 HOM. NO: DC.290.22-O FIA STANDARD: 8856-2018

NEW





- LCA (Life Cycle Assessment) certified.
- 21% REDUCTION of the impact on climate change.\*
- ZERO WASTE.\*\*

\*Value to be compared to a traditional production. The reduction equals the amount of CO2 released into the environment traveling approx. 58 km by car.
\*\*Target achieved through the regeneration of the fibers used in mass production.

### HIGHLIGHTS


SIZE: 48-66 CUSTOMIZATION: ON DEMAND

HOMOLOGATION: FIA 8856-2018 - (SFI 3.2A/5 ON DEMAND)


PG. 2



Extraction handle made in regenerated FULL EFFICIENCY material.



Mid layer and lining made with FULL EFFICIENCY regenerated fabric.



Reinforcements in sparco® FULL EFFICIENCY regenerated fabric. Inner thigh stretch insert.

### GREEN LIGHT



001155..NRVF



001155..NRGF

001155..RS

001155..NRGR

L.Colombo

Prema Orlen Team WEC

GOODFYEA

L. COLOMBO



HIGHLIGHTS

Extraction handle.



Large rear stretch panel.



Hidden front pockets.

# VALUE & PERFORMANCE



001093..NRRS



001093..RSNR



001093..BELN



001093..BMBI



001093..NRVF



001093..NRGF



001093..NR

# HOMOLOGATION: SFI 3.2A/1 SIZES: S-XXL CUSTOMIZATION: NOT CUSTOMIZABLE HIGHLIGHTS TOK SPORT WRT crew Team Porsche GT World Challenge / VLN Championship

Extraction handle.



Form fitting rear elastic.



# SINGLE LAYER PROTECTION





001059..NRAZ

Adjustable ankle closure.



001059..NRBI

## HIGHLIGHTS







Outer material waterproof with flame retardant PTFE membrane.



Foldaway hood.



Transfer print decorations.





001049..BM



RNESSES RING WHEELS

CS H/

MECHANI

SUITS

ω u

ECTIONS

PROT

SEATS HARNESSES

IM RACING CHAIRS

FESTYLE

SIZES: XS-XXXL CUSTOMIZATION: ON DEMAND

NEW



## HIGHLIGHTS



# C O O L PERFORMANCE



Breathable openwork lining.




Inside pockets with invisible zip and waterproof membrane.




Cooling inserts reusable.



001014SI..







# INDICE UNDERWEAR

### **MADE IN ITALY**

### RW-11 EVO NEW HOMOLOGATION: FIA 8856-2018 SFI 3.3



001408BO



001789MBO.. 001789MNR..



001789PBO.. 001789PNR..



RW-10 SHIELD PRO NEW HOMOLOGATION: FIA 8856-2018

SFI 3.3



001407BO 001407BM 001407NR



001786MBO.. 001786MGR.. 001786MBM.. 001786MNR..



001786PRO. 001786PGP. 001786PBM.. 001786PNR..

### **RW-10 SHIELD TECH HOMOLOGATION:**

FIA 8856-2018 SFI 3.3



001402BI 001402NR



001783MBO.. 001783MNR..



001777PBO.. 001777PNR..

### **RW-7 DELTA** HOMOLOGATION: FIA 8856-2018 SFI 3.3



001405B0 001405NR



001780MBO.. 001780MNR..



001781PBO.. 001781PNR..



**RW-4 GUARD** HOMOLOGATION: FIA 8856-2018 SFI 3.3



001487BI



001782MBI..



001782PBI..



RW-4 **NOT FIA** 



001488BI



001797BI..





RACING NEW UNDERGARMENTS

HOMOLOGATION:

FIA 8856-2018

001785




001790

38

HOMOLOGATION: FIA 8856-2018 - SFI 3.3





- Extra-flat seams.
- Ultra-light construction.
- Transfer print logos.
- Material: 48% Meta-Aramid, 48% Modal Viscose, 4% Elastane.





■ 001408NR



ONE SIZE



- Ultra-light construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Transfer print logos.
- Material: 48% Meta-Aramid. 48% Modal Viscose, 4% Elastane.





SIZES: XS - S - M - L - XL - XXL - XXXL

□ 001789MBO..

□ 001408B0

■ 001789MNR..





- Fully seamless structure.
- Ultra-light construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Transfer print logos.
- Material: 48% Meta-Aramid, 48% Modal Viscose, 4% Elastane.



□ **001789PBO..** ■ 001789PNR..

□ 001523Bl..

- Unique helical structure provides gradual compression.
- Added compression for arch support.
- Reinforced, durable foot bed.
- Darned heel and toe.
- Material: 67% viscose, 27% Meta-Aramid, 5% Elastane, 1% antistatic fibre.



■ 001523NR..



44/45 - 46



**APPROVED** 

MANUFACTURER: SPARCO MODEL: R577 BOTTOM HOM. NO: DC.282.22-L FIA STANDARD: 8856-2018

XS-S-M-L-XL-XXL-XXXL

SIZES: 38/39 - 40/41 - 42/43 -

# **RW-10 SHIELD PRO**

NEW



### HOMOLOGATION: FIA 8856-2018 - SFI 3.3



• Opening for drink system.

- Seamless front chin.
- Extra-flat offset crown seams.
- Double layer on front.
- Material: 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic fiber, 2% Elastane.
- Customization: transfer.



ONE SIZE

. . . .

### 001407BO 001407BM 001407NR



001786MBO.. 001786MGR.. 001786MBM.. 001786MNR..



MODEL: R563 HOM. NO: DC.125.21-T FIA STANDARD: 8856-2018

### SIZES:

XS - S/M - L/XL - XXL

- Seamless construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Material: 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic fiber, 2% Elastane.
- Customization: transfer.



001786PBO.. 001786P

001786PGR..

001786PBM..


001786PNR..



### SIZES:

XS - S/M - L/XL - XXL

- Seamless construction.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Material: 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic fiber, 2% Elastane.
- Customization: transfer.





ONE SIZE



□ 001402BI

- 001402NR

- Composition: jersey, 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic Fiber, 2% Elastane.
- Anti-abrasion silicone printed logos.
- Seamless front seam.

 Composition: jersey, 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic Fiber, 2% Elastane.

- Raglan sleeve.
- X-COOL treatment, reactive cooling and anti-bacterial.
- Anti-abrasion silicone printed logos.

SIZES:

XS - S/M - L/XL - XXL


• Seamless construction.



□ 001783MBO.. ■ 001783MNR..



 Composition: jersey, 69% Modal Viscose, 28% Meta-Aramid, 1% Antistatic Fiber,



XS - S/M - L/XL - XXL

- cooling and anti-bacterial. • Anti-abrasion silicone printed logos.
- Seamless construction.



- □ 001777PBO.. 001777PNR..





ONE SIZE



001405B0 001405NR

- "Body-size" fibre knit structure. Differentiated front
- and back amour.
- Composition: 57% viscose, 38% Meta-Aramid. 3% Polyamide, 2% Elastane.



MANUFACTURER: SPARCO MODEL: R571 HOM. NO: DC.186.21-T FIA STANDARD: 8856-2018

SIZES: XS/S - M/L - XL/XXL



001780MBO..



001780MNR..

### • "Body-size" fibre knit structure. • No side seams for maximum comfort. • Stretch rib collar. X-COOL treatment, reactive cooling and anti-bacterial. Composition: 57% viscose, 38% Meta-Aramid, 3% Polyamide, 2% Elastane.

SIZES: XS - S/M - L/XL - XXL

- Supportive ribbed
- Jersey foot bed and arch support.





001781PBO.. 001781PNR..

- "Body-size" fibre knit structure.
- Ribbed stretch band.
- X-COOL treatment. reactive cooling and anti-bacterial.
- Composition: 57% viscose, 38% Meta-Aramid, 3% Polyamide, 2% Elastane.

### RW-7 SOCKS

MANUFACTURER: SPARCO MODEL: R560 HOM. NO: DC.039.19-S FIA STANDARD: 8856-2018

SIZES: 38/39 - 40/41 -42/43 - 44/45 - 46

- calve construction.
- Darned heel and toe.
- Composition: 67% Meta-Aramid, 27% viscose, 6% Elastane.









ONE SIZE



001487BI

- Soft-touch interlock construction.
- Simplified and optimised structure.
- Composition: 60% modacrylic, 40% cellulose.

• Soft-touch interlock construction.

• Composition: 60% modacrylic,

Simplified and

40% cellulose.

• Regular fit.

optimised structure.



**APPROVED** MODEL: R574 HOM. NO: DC.203.21-T FIA STANDARD: 8856-2018

SIZES: XS-S-M-L-XL-XXL-XXXL



001782MBI..





SIZES: XS-S-M-L-XL-XXL-XXXL

### RW-4 SOCKS



SIZES: 38/39-40/41-42/43 - 44/45 - 46

- Supportive ribbed calve construction.
- Jersey foot bed and arch support.
- Darned heel and toe.
- Composition: 100% Meta-Aramid.





001782PBI..

- Soft-touch interlock construction.
- Simplified and optimised structure.
- Regular fit.
- Composition: 60% modacrylic, 40% cellulose.

# **ACCESSORIES**

Single-layer balaclava. Soft-touch interlock

construction.



001488BI

ONE SIZE

Low neck T-shirt.

 Soft-touch interlock construction.



001797BI..

SIZES: S-M-L-XL-XXL

### Bermuda.

 Soft-touch interlock construction.



001711BBI..

SIZES: S - M - L - XL - XXL

### RACE ELBOW PADS NEW

• Fireproof stretch outer material.

• En1621-1: 2012 / level 2 certified pu padding.

001571

SIZES: S - M - L



• Fireproof stretch outer

RACE KNEE PADS NEW

material.

• En1621-1: 2012 / level 2 certified pu padding.



SIZES: S - M - L

001561

### RACE SPORT-BRA (FIA COMPLIANT) NEW



SIZES: XS - S - M - L



• FIA approved 8856-2018 undergarment.

- No stitching on the front.
- Material: 55% modacrylic,

001788BI..

### **ARM RESTRAINT BELT**

Arm restraints system recommended for open vehicles such as Dragsters, Midgets and Off-road Vehicles. SFI 3.3 homologated.





■ 00158SETRS ■ 00158SETAZ ■ 00158SETNR

### RACE-COULOTTE LADY / MAN RACE-BOXER / MAN RACE-SLIP (FIA COMPLIANT)



- FIA approved 8856-2018 undergarment.
- No stitching on the front.
- Material: 55% modacrylic, 45% cotton.







001787BI...

SIZES: XS - S - M - L



001785BI..



**MEN'S RACE** 

SLIP NEW



001790BI..

SIZES: XS - S/M - L/XL - XXL SIZES: XS - S/M - L/XL - XXL

### X-COOL RECHARGE

The X-COOL recharge allows the extension of the refreshing treatment on suits and underwear.

The application can be done with a normal wash in the washing machine.

001157RECHARGE



50



SHOES

2 E

SEATS

HARNESSES EERING WHEELS

ECHANICS

SUITS

ES VEC

DTECTIONS

SEATS HARNESSES EERING WHEELS

A RACING

PESIYLE OTHING ESSORIES

# INDEX SHOES

### MADE IN ITALY

### X-LIGHT+

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 ON DEMAND MATERIAL: KANGAROO LEATHER AND JACQUARD FABRIC **SOLE:** NATURAL RUBBER + CARBON

SIZES: 39-46 CUSTOMIZATION: ON DEMAND / INFINITY











### SUPERLEGGERA . NEW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: SUBLIMATED FABRIC AND JACQUARD FABRIC **SOLE:** NATURAL RUBBER + CARBON SIZES: 37-48 CUSTOMIZATION: ON DEMAND





0012A3..NRGF





0012A3..NRRS

0012A3..NRBI

### PRIME EVO

HOMOLOGATION: FIA 8856-2018 MATERIAL: KANGAROO LEATHER WITH JACQUARD INSERTS SOLE: OIL AND HYDROCARBON RESISTANT RUBBER PLATE SOLE SIZES: 37-48 CUSTOMIZATION: ON DEMAND











001297..BI

001297..RS

001297..GRGF

001297..BMRS

001297..NR

### PRIME R

HOMOLOGATION: FIA 8856-2018 MATERIAL: KANGAROO LEATHER AND PU LEATHER **SOLE:** NATURAL RUBBER + EVA SIZES: 37-48 CUSTOMIZATION: ON DEMAND / INFINITY



001282..NRRS



HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) MATERIAL: TUMBLED LEATHER AND PU LEATHER **SOLE:** TPU FR + EVA

SIZES: 37-48 CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND











001283..BIRS

001283.. NRGF

001283..GRAF

001283..BMBI

001283..NRGR

### **FORMULA**

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) MATERIAL: TUMBLED LEATHER **SOLE:** NATURAL RUBBER SIZES: 37-48 (32-36 ON DEMAND) CUSTOMIZATION: ON DEMAND











001296..RSBI

001296..BXBI

001296..NRRS

### SKID+

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) **SOLE:** TPU FR + EVA SIZES: 39-46 CUSTOMIZATION: ON DEMAND / INFINITY





001279..NRRS

001279..NRGR

### SKID

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: TUMBLED LEATHER AND PU LEATHER **SOLE:** TPU FR + EVA SIZES: 37-48 CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND











0012A3..NRBI

# INDEX SHOES

### **MADE IN ITALY**

HOMOLOGATION: FIA 8856-2018 MATERIAL: CALF LEATHER **SOLE:** NATURAL RUBBER SIZES: 37-48 CUSTOMIZATION: ON DEMAND







001287..RS

001287..BRFX

001287..NR

### FUTURA NEW

**HOMOLOGATION:** FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL EFFICIENCY CLOTHES SOLE: NATURAL RUBBER SIZES: 36-48 CUSTOMIZATION: ON DEMAND







0012A4..GRVF

0012A4..GRBI

### **SLALOM+**

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL SUEDE **SOLE:** NATURAL RUBBER SIZES: 35-48 CUSTOMIZATION: ON DEMAND







001274..RS

001274..BRFX

001274..NR

### SLALOM

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 MATERIAL: FULL SUEDE **SOLE:** NATURAL RUBBER **SIZES:** 36-48



001295..NR










001295..NRVF



HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 (ON DEMAND) WEIGHT: 220 GR. (SIZE 42) SIZES: 39-46 CUSTOMIZATION: ON DEMAND / INFINITY





## HIGHLIGHTS

- Rollable ankle fabric with lace flap.
- Ultra-light external closure.
   Supplied with double laces.
- Jaquard uppers.
- Printed kangaroo leather.
- Thin rubber sole with differentiated grip zones.



Protective 3D texture.



High abrasion-resistant leather heel.



Real flexible carbon sole with differentiated areas.



001278..BINR



001278..NRGF



001278..NRRS



001278..NR

# SUPERLEGGERA

HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 SIZES: 37-48 WEIGHT: 240 GR. (SIZE 42) CUSTOMIZATION: ON DEMAND



NEW



### HIGHLIGHTS

- Upper in printable fabric with transparent silicone reinforcements.
- Jacquard sock for maximum fit ond breathability.
- External lacing.
- Sole with extended rear spoiler to ensure support while driving.
- Carbon sole with differentiated areas.



Jacquard sock for maximum fit ond breathability



Sole with extended rear spoiler to ensure support while driving



Real flexible carbon sole with differentiated areas.



0012A3..BINR



0012A3..NRRS



0012A3..NRBI

HOMOLOGATION: FIA 8856-2018 WEIGHT: 210 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND / INFINITY







## HIGHLIGHTS

- Quick strap closure with ultra-flat perforated tape.
- Kangaroo leather upper with inkjet print.
- Antiperspirant and breathable lining.
- Ergonomic footbed.
- Oil and hydrocarbon resistant rubber plate sole.



Single-layer stretch jacquard tongue.



Single-layer stretch jacquard.





Real flexible carbon sole with differentiated areas.



001297..GRGF

001297..RS

001297..BMRS







001297..NR

HOMOLOGATION: FIA 8856-2018 WEIGHT: 240 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND / INFINITY





### HIGHLIGHTS

- Ultralight flat laces.
- Anti-perspiration and breathable lining.
- Padded tongue in ultra-breathable fabric.
- Perforations for maximum breathability.
- Fully printed kangaroo leather uppers.
- Comfortable insole.
- Thin rubber sole with differentiated grip texture.



Strap for blocking laces and ankle.



High abrasion-resistant leather inserts.












65

EAM

HOMOLOGATION: FIA 8856-2018 - (SFI 3.3/5 ON DEMAND) WEIGHT: 260 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND



## HIGHLIGHTS

- Flat, light glossy laces.
- Elasticated jaquard rear insert.
- Strong and ultra-light Kevlar loops.
- Silkscreen printed tumbled calfskin uppers.
- Perforations for maximum breathability.
- Comfortable insole.
- TPU FR sole with differentiated grip texture.



Rollable jaquard tongue with lace flap.



High abrasion-resistant leather inserts.









001283..BIRS 001283..NRGF









001283..BMBI 001283..NRGR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 300 GR. (SIZE 42) SIZES: 37-48 (32-36 ON DEMAND) CUSTOMIZATION: ON DEMAND

APPROVED .

MANUFACTURER: SPARCO MODEL: FORMULA HOM. NO: DC.179.21-Z FIA STANDARD: 8856-2018



- Anti-perspiration and breathable lining.
- Adjustable strap with ultra-flat tape.

TECN

- Tumbled calfskin uppers silkscreen printed.
- Single-layer stretch jacquard back insert.
- Foam footbed.
- Rubber sole.



Quick lacing system.



Perforations for maximum breathability.









001296..RSBI







001296..NRRS



HOMOLOGATION: FIA 8856-2018 WEIGHT: 420 GR. (SIZE 42) SIZES: 38-48 CUSTOMIZATION: ON DEMAND








## HIGHLIGHTS

- Anti-perspiration and breathable lining.
- Ultra resistant Kevlar loops.
- Overlap tongue integrated with side.
- Ergonomic and shock-absorber insole.
- EVA and TPU sole specifically designed to improve mechanics and co-driver movements.



High abrasion-resistant PU lateral insert and perforated leather.



Elasticated rear insert.









001279..NRGR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 310 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND





## HIGHLIGHTS

- Anti-perspiration and breathable lining.
- Elasticated rear insert.
- Comfortable insole.
- TPU FR sole with differentiated grip texture.





Overlap tongue integrated with side.



Ultra resistant Kevlar loops.





001275..BIBI 001275..RSNR







001275..NRNR


HOMOLOGATION: FIA 8856-2018 WEIGHT: 385 GR. (SIZE 42) SIZES: 37-48 CUSTOMIZATION: ON DEMAND

## HIGHLIGHTS

- Anti-perspiration and breathable lining.
- Embroidered logos.
- Natural leather insole.
- Natural rubber sole.



Adjustable ultra-flat strap.



Suede with smooth leather inserts.











001287..NR

**'**5

HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 WEIGHT: 420 GR. (SIZE 42) SIZES: 36-48 CUSTOMIZATION: ON DEMAND



NEW





- LCA (Life Cycle Assessment) certified.
- 39% REDUCTION of the impact on climate change.\*
- 80% of regenerated fibers (on upper).
- ZERO WASTE.\*\*

\*Value to be compared to a traditional production. The reduction equals the amount of CO2 released into the environment traveling approx. 50 km by car.
\*\*Target achieved through the regeneration of the fibers used in mass production.

## HIGHLIGHTS

- Super-breathable upper in FULL EFFICIENCY black melange fabric.
- Sole with excellent grip.
- Comfortable and suitable for track-day.



PG. 2

Sparco® FULL EFFICIENCY fabric.



Three-dimensional knit lining built with FULL EFFICIENCY yarn.









0012A4..GRVF 0012A4..GRBI

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 330 GR. (SIZE 42) SIZES: 35-48 YOUTH SIZES NR: 28-30-32-34 (ON DEMAND)





## HIGHLIGHTS

- Anti-perspiration and breathable lining.
- Perforated tongue.
- Silkscreen printed perforated suede leather uppers.
- Comfortable insole.
- Natural rubber sole with differentiated grip zones.



Reinforced toe.



High abrasion-resistant reinforced leather heel.











001274..BRFX

001274..NR

OTECTION

ATS


CING

E-SPORT

CLOTHING

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 WEIGHT: 350 GR. (SIZE 42) SIZES: 36-48





## HIGHLIGHTS

- Embroidered logos.
- Side leather insert with printed logo.
- High resistance glossy round laces.
- Leather insole.
- Natural rubber sole.



Embroidered suede leather uppers.



Fabric back insert.







sparco 3

001295..NRRS

001295..NR





001295..NRVF

.........



## **GLOVES INDEX**

#### TIDE

**HOMOLOGATION:** FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: HTX - VULCANO PRECURVED: YES **SEAMS: EXTERNAL** 

**SIZES:** 8-13

**CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND** 











ARROW+ NEW

HOMOLOGATION: FIA 8856-2018 NEW REQUIREMENTS COMPLIANT - SFI 3.3/5 PALM COMPOSITION: HTX - FLAT

PRECURVED: YES

SEAMS: EXTERNAL (NO THUMBS)

**SIZES:** 7-13

**CUSTOMIZATION:** ON DEMAND



001319..SP

#### ARROW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: HTX - FLAT

PRECURVED: YES

SEAMS: EXTERNAL (NO THUMBS)

**SIZES:** 7-13

CUSTOMIZATION: INFINITY PROJECT / 3D CONFIGURATOR / ON DEMAND



001314..GFNR











LAP

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SILICONE

PRECURVED: YES SEAMS: MIXED

**SIZES:** 7-13

**CUSTOMIZATION:** ON DEMAND









FUTURA NEW

HOMOLOGATION: FIA 8856-2018 NEW REQUIREMENTS COMPLIANT - SFI 3.3/5 PALM COMPOSITION: SILICONE PRECURVED: NOT SEAMS: MIXED SIZES: 8-13 CUSTOMIZATION: ON DEMAND











001365..NRBI

LAND+

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SILICONE PRECURVED: NOT **SEAMS: INTERNAL SIZES:** 8-13 **CUSTOMIZATION: ON DEMAND** 









LAND

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SUEDE PRECURVED: NOT **SEAMS: INTERNAL** SIZES: 8-13 / 4 AND 6 ON DEMAND **CUSTOMIZATION:** ON DEMAND









LAND CLASSIC

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 PALM COMPOSITION: SUEDE PRECURVED: NOT **SEAMS:** INTERNAL **SIZES:** 8-13 **CUSTOMIZATION:** FROM STOCK





001364..BM

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 CUSTOMIZATION: 3D CONFIGURATOR / ON DEMAND




## HIGHLIGHTS

- Precurved glove.
- Aramid jersey fabric.
- Thumb joined to back.
- External seams.
- Touch-S on index finger and thumb.
- Internal wrist stitching.







HTX 3D Volcano palm with differentiated zones.



Ergonomic seam on thumb.





001356..BINR 001356..RSNR



001356..AZBI



001356..NRAF



001356..NRRS

HOMOLOGATION: FIA 8856/2018 - SFI 3.3/5 SIZES: 7-13 CUSTOMIZATION: ON DEMAND



## HIGHLIGHTS

- Precurved glove.
- Ergonomic stitching on the thumb.
- External seams on the fingers.
- HTX flat palm.
- Touch-S on index finger and thumb.







HTX flat palm.



Touch-S on index finger and thumb.

Compliant to the new FIA 8856-2018 heat transmission requirements.







RACING

ACING

RNESSES RING WHEELS

HAF

HANICS

(n)

SHOES

CTIONS

PROTI

SEATS ARNESSES

ACING

SIM R.

LIFESTYLE

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 7-13 CUSTOMIZATION: ON DEMAND

## HIGHLIGHTS

- Precurved glove.
- Ergonomic seam on thumb.
- Aramid jersey fabric.
- External seams.







HTX flat palm.



Touch-S on index finger and thumb.









001314..RSNR



001314..BINR





001314..NRBI

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 7-13 CUSTOMIZATION: ON DEMAND

## HIGHLIGHTS

- Differentiated external and internal stitching on fingers.
- External stitching on thumb.
- Back joined with the thumb.



New silicone palm for maximum grip on the wheel.



Single-layer stretch wrist insert



Best matching with the new Competition seamless elastic sleeves.







001316..BINR









# F U L L

- VIRTUOUS CIRCULAR PRODUCTION CYCLE
- ZERO WASTE TARGET
- MORE THAN 51% OF REGENERATED FIBERS
- FULLY OWNED TECHNOLOGY

## HIGHLIGHTS

- Palm with external seams and fingers with internal seams for maximum comfort.
- Straight cut cuff.





Full Efficiency three-dimensional knit lining.



Silicon palm to ensure maximum grip on the steering wheel.





Compliant to the new FIA 8856-2018 heat transmission requirements.

001365..BINR



001365..NRGF



001365..NRVF



001365..NRBI

NEW

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 CUSTOMIZATION: ON DEMAND

## HIGHLIGHTS

- Internal seams.
- Palm joined with thumb.



Palm with silicone inserts.



Printed graphics.



Straight cut cuff.





001362..GF




001362..RS



001362..NR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 / 4 AND 6 ON DEMAND CUSTOMIZATION: ON DEMAND





## HIGHLIGHTS

- Straight cut cuff.
- Internal seams.



Printed graphics.



Palm with suede inserts.



Elastic on wrist.





001363..GF



001363..EB



001363..NR

HOMOLOGATION: FIA 8856-2018 - SFI 3.3/5 SIZES: 8-13 CUSTOMIZATION: FROM STOCK

## HIGHLIGHTS

- Internal seams.
- New back with Sparco patch.



Patch with embroidered Sparco logo.



Palm with suede inserts.



Straight cut cuff.







# HELMETS INDEX

#### MADE IN ITALY

#### PRIME RJ-i SUPERCARBON 8860-2018 ■ ■ NEW

HOMOLOGATION: FIA 8860-2018 MATERIAL: HIGH TENSILE CARBON FIBER - HANS® CLIPS SIZES: XS-XL



003372ZRS



003372ZNR



RJ-i

SIZES: XS-XXL

SIZES: XS-XXL

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: CARBON - HANS® CLIPS SIZES: XS-XL

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020

MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS

MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS



003371ZRS



003371ZNR



003369BIRS

003369BI





003369NRRS

003369NR

### **AIR PRO 1977** ■ ■

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS SIZES: XS-XXL



**CLUB X-1** 

SIZES: XS-XXL

**HOMOLOGATION:** ECE 22-05

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020 MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS SIZES: XS-XXL

SKY RF-7W CARBON

MATERIAL: CARBON - HANS® CLIPS

AIR PRO RF-5W

SIZES: XS-XL

SIZES: XS-XXL

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020

HOMOLOGATION: FIA 8859-2015 SNELL SA 2020

MATERIAL: FIBERGLASS / CARBON-KEVLAR - HANS® CLIPS





003375NRRS

003374ZRS

003374ZNR

003375ZNR



003375RS

003369AZ



003369RS







104

OPEN FACE HELMETS WITH INTERCOM

PRIME RF-10W SUPERCARBON 8860-2018 ■ ■ NEW

HOMOLOGATION: FIA 8860-2018 ABP - FIA 8860-2018 / SNELL SA 2020 MATERIAL: HIGH TENSILE CARBON FIBER - HANS® CLIPS SIZES: XS-XL



003373ZSP



003370BI



003373ZRS

### CLUB J-1

**HOMOLOGATION:** ECE 22-05 MATERIAL: ATM (ADVANCED THERMO MATERIAL) SIZES: XS-XL

MATERIAL: ATM (ADVANCED THERMO MATERIAL)


# PRIME RJ-i SUPERCARBON

NEW

HOMOLOGATION: FIA 8860-2018 SIZES: XS-XL







## HIGHLIGHTS

- High tensile carbon fiber shell.
- Double-sized shell and polystyrene with vents.
- New breathable fire retardant jersey available in different colour options.
- Ergonomic variable padding density.
- Military type connection through female Nexus integrated in the shell.
- New electronics with the adoption of earphones.
- Hans® clip.



Peak with removable insert for the installing of the adjustable sun visor.



Integrated microphone cover and semi-rigid arm with reduced bulk for easy adjustment and maximum visibility.



• Customizable, removable and washable interior.



003372ZRS.. 003372ZNR..

	RJ-i SUPERCARBON			
XS	53-54	003372Z0XS		
S	55-56	003372Z1S		
М	57-58	003372Z2M		
M+	59	003372Z3ML		
L	60	003372Z4L		
XL	61	003372Z5XL		

#### **AVAILABLE LINING COLOURS**






ON DEMAND

ON DEMAND

ON DEMAND

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XL



## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Pre-preg carbon fibre shell reinforced with carbon-kevlar layers.
- New breathable fireproof jersey available in different colour options.
- Military type connection through male Nexus (die-cast Nexus connector).
- Clip Hans®.





New peak design optimized for sun protection.



New intercom system with ear cups and noise canceling microphone.



003371ZRS.. 003371ZNR..

sparco	
	i

	M+	59	003371ZNR3ML
1	L	60	003371ZNR4L
	XL	61	003371ZNR5XL

CARBON 53-54 003371ZNR0XS 55-56 003371ZNR1S 57-58 003371ZNR2M

### PEAK / VISOR OPTIONAL PG. 123





HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XXL



HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XXL



## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fiberglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey available in different colour options.
- Adjustable and washable interior.
- New peak design optimised for sun protection.
- New intercom system with ear cups and noise canceling microphone.
- Military type connection through male Nexus (die-cast Nexus connector).
- Hans® clip.



## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fibreglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey.
- Adjustable and washable interior
- New peak design optimised for sun protection.
- Hans® clip.



### **PEAK / VISOR OPTIONAL**

PG. 123





RJ-i			
XS	53-54	0033690XS	
S	55-56	00336918	
М	5 <i>7</i> -58	0033692M	
M+	59	0033693ML	
L	60	0033694L	
XL	61	0033695XL	
XXL	62	0033696XXL	



003369BIRS..



003369BI..





003369NR..

	RJ			
XS	53-54	003370BI0XS		
S	55-56	003370BI1S		
M	57-58	003370BI2M		
M+	59	003370BI3ML		
L	60	003370BI4L		
XL	61	003370BI5XL		
XXL	62	003370BI6XXL		





003370BI..

NEW

HOMOLOGATION: FIA 8860-2018 ABP - FIA 8860-2018 / SNELL SA 2020 SIZES: XS-XL



HIGHLIGHTS

- ABP (Advanced Ballistic Protection), the Ultimate Safety Standard.
- Double-sized shell and polystyrene with vents.
- Stronger protection into the upper part of the helmet shell.
- Customizable, removable and washable interior.
- Ergonomic variable padding
- Ready for drink system.
- FIA homologated visor with 3 positions adjustment.
- Hans® clip.



High tensile carbon fiber shell.



ABP (Advanced Ballistic Protection).



#### **AVAILABLE LINING COLOURS**







YELLOW

FIA 8860-2018











SUPERCARBON		
XS	53-54	003373Z0XS
S	55-56	003373Z1S
M	57-58	003373Z2M
M+	59	003373Z3ML
L	60	003373Z4L
XL	61	003373Z5XL

FIA 8860-2018 ABP (ADVANCED BALLISTIC PROTECTION)











SUPERCARBON - ABP		
XS	53-54	003376ZSP0XS
S	55-56	003376ZSP1S
М	57-58	003376ZSP2M
M+	59	003376ZSP3ML
L	60	003376ZSP4L
XL	61	003376ZSP5XL

## HIGHLIGHTS

- Shell and polystyrene adjustable by 2 sizes with air ducts.
- Carbon fiber shell reinforced with carbon-kevlar.
- Adjustable and washable interiors.
- Predisposed for drink system.
- FIA homologated visor with continuous adjustment.
- Hans® clips.



#### **AVAILABLE LINING COLOURS**



BLACK IN STOCK



RED IN STOCK

53-54

CARBON



BLUE ON DEMAND



GREEN Y
ON DEMAND ON



YELLOW ON DEMAND









SUITS

HOES


TECTIONS

SEATS

ACING

LIFESTYLE

NR.. AMWEAR



## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fiberglass shell reinforced with carbon-kevlar.
- New breathable fireproof jersey available in different colour options.
- Adjustable and washable interior.
- Ready for drink system.
- FIA approved visor.
- Hans® clip.



### AVAILABLE LINING COLOURS



BLACK IN STOCK



RED IN STOCK

	RF-5W			
XS	53-54	0033750XS		
S	55-56	00337518		
М	57-58	0033752M		
M+	59	0033753ML		
L	60	0033754L		
XL	61	0033755XL		
(XL	62	0033756XXL		



003375BIRS..

BLUE ON DEMAND



GREEN ON DEMAND



YELLOW ON DEMAND



003375Bl..





117

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020

MANUFACTURER: VM SAFETY MODEL: SPARCO AIR RF-5W HOM. NO: PH.037.16-C FIA STANDARD: 8859-2015

RJ-i 1977

HOMOLOGATION: FIA 8859-2015 / SNELL SA 2020 SIZES: XS-XXL



## HIGHLIGHTS

SIZES: XS-XXL

- Double-sized shell and polystyrene with vents.
- Fibreglass shell reinforced with carbon-kevlar layers.
- New breathable fireproof
- Adjustable and washable interiors.
- Ready for drink system.
- FIA approved visor.
- Hans® clips.



## HIGHLIGHTS

- Double-sized shell and polystyrene with vents.
- Fibreglass shell reinforced with carbon-kevlar
- New breathable fireproof
- Adjustable and washable interior.
- New electronics with adoption of earphones.
- Military type connection (die-cast Nexus connector).
- Hans® clip.



THESE RETRO HELMET GRAPHICS WERE FIRST USED BY SPARCO PROFESSIONAL DRIVERS IN THE LATE 70'S INTO THE 80'S.

WHITE - BLUE		
XS	53-54	003375AZ0XS
S	55-56	003375AZ1S
M	57-58	003375AZ2M
M+	59	003375AZ3ML
L	60	003375AZ4L
XL	61	003375AZ5XL
XXL	62	003375AZ6XXL

WHITE - RED		
XS	53-54	003375RS0XS
S	55-56	003375RS1S
М	57-58	003375RS2M
M+	59	003375RS3ML
L	60	003375RS4L
XL	61	003375RS5XL
XXL	62	003375RS6XXL





03369RS5XL

THESE RETRO HELMET GRAPHICS WERE FIRST USED BY SPARCO PROFESSIONAL DRIVERS IN THE LATE 70'S INTO THE 80'S.



WHITE - BLUE			
XS	53-54	03369AZ0XS	
S	55-56	03369AZ1S	
М	57-58	03369AZ2M	
M+	59	03369AZ3ML	
L	60	03369AZ4L	
XL	61	03369AZ5XL	
XXL	62	03369AZ6XXL	





003369RS..

# **CLUB X-1**

HOMOLOGATION: ECE 22-05 SIZES: XS-XXL

# **CLUB J-1**

HOMOLOGATION: ECE 22-05 SIZES: XS-XL

## HIGHLIGHTS

- ATM (Advanced Thermo Material) shell.
- Not homologated for FIA competitions.
- Inner lining in hypoallergenic material.
- Helmet suitable for kart rental.



## HIGHLIGHTS

- ATM (Advanced Thermo Material) shell.
- Not homologated for FIA competitions.
- Inner lining in hypoallergenic material.
- Supplied with anti-sun peak.



#### REPLACEMENT VISORS

CLEAR ANTI-SCRATCH VISOR



0032CLUBV01

MIRRORED VISOR



0032CLUBV02





0032CLUBV03

	WHITE			
XS	53-54	0033190XS		
S	55-56	00331915		
M	57-58	0033192M		
M+	59	0033193ML		
L	60	0033194L		
XL	61	0033195XL		
XXL	62	0033196XXL		

	MATT	BLACK
XS	53-54 003319N0XS	
S	55-56	003319N1S
M	57-58	003319N2M
M+	59	003319N3ML
L	60	003319N4L
XL	61	003319N5XL
XXL	62	003319N6XXL





003319N..

	WH	ITE
XS	53-54	0033170XS
s	55-56	00331718
M	57-58	0033172M
L	60	0033174L
XL	61	0033175XL

	MATT	BLACK
XS	53-54	003317N0XS
S	55-56	003317N1S
М	57-58	003317N2M
L	60	003317N3L
XL	61	003317N4XL





003317N..

120

Ε

SEATS

RNESSES ING WHEELS

HAR

HANICS

Ins

S

SNOI

. .

SEAT! HARNES STEERING

B-SPURI

CLOTHING

#### **OPEN FACE HELMETS**

STANDARD = V OPTIONAL = O NOT FITTABLE = X

		RJ-i SUPERCARBON	RJ-i CARBON	RJ-i WHITE	RJ-i Black	RJ WHITE
4	CARBON RJ PEAK 00319Z	Х	0	0	0	0
-	BLACK RJ PEAK 00319NR	Х	0	0	0	0
-	WHITE RJ PEAK 00319BI	Х	0	0	0	0
	BLU IRIDIUM RJ VISOR 00304V02	X	0	0	0	0
	ROSSO IRIDIUM RJ VISOR 00304V03	X	0	0	0	0
	DARK BLACK RJ VISOR 00304V01	X	0	0	0	0
	CARBON RJ PEAK 00316F08	Х	V	0	0	0
	BLACK ABS RJ PEAK 00316F06	Х	0	0	V	0
1	WHITE ABS RJ PEAK 00316F07	Х	0	V	0	V
	BLACK RJ PEAK 00316F01	Х	0	0	0	0
all of the second	MATT BLACK RJ PEAK 00316F02	Х	0	0	0	0
***************************************	WHITE RJ PEAK 00316F03	Х	0	0	0	0

#### RJ-i / RJ PEAKS SPECIFIC FOR VISORS NEW

Optional carbon fiber peak.

Optional peak in ABS (black)

Optional peak in ABS (white)



00319NR



RJ-i / RJ VISORS (ONLY COMPATIBLE WITH SPECIFIC RJ-i / RJ VISORS)

Kit made of blue iridium visor and fastener kit.



00304V02

and fastener kit.



00304V03

Kit made of red iridium visor

Kit made of dark black visor and fastener kit.



00304V01

#### RJ-i / RJ PEAKS

Carbon



Black ABS



White ABS



00316F08

00316F06

00316F07

Black



Matt black



White



00316F01

00316F02

00316F03

122

SIM RACING CHAIRS



#### 8859-2015 FULL FACE VISORS FIA APPROVED

**CLEAR VISOR** 

DARK VISOR

**BLUE IRIDIUM VISOR** 

SILVER IRIDIUM VISOR



•







00314V01

NOT FIA APPROVED

RED IRIDIUM VISOR

FULL FACE SPARE PARTS

SET OF 5 TEAR OFFS

00314V03

**VISOR FASTENER KIT** 

00314V04



00314V06



00314V02

00314V07

**YELLOW VISOR** 



00315K01



**AIR INTAKES (LATERAL)** 

00315K02

#### SPOILER



Rear

00315K09

00315K10

#### PUMPER



■ XS-M/L	00317P02
■ L-XXL	00317P04
XS-M/L	00317P01
L-XXL	00317P03

### AIR INTAKES (CENTRAL)



■ 0032WTXK04 □ 00315K03



□ 0032WTXK06 ■ 00315K04

124

HARNESSES TEERING WHEEL

10.5

MECHAN

UITS

SHOE

DTECTIONS

SES

SEATS HARNESS

SIM RACIN CHAIRS

s S

# **ACCESSORIES**

**INTERCOM KITS** 

#### **FULL FACE CHEEK PADDING**



THICKNESS	BLACK	RED
25 mm	0032RF02NR25	0032RF02RS25
30 mm	0032RF02NR30	0032RF02RS30
35 mm	0032RF02NR35	0032RF02RS35
40 mm	0032RF02NR40	0032RF02RS40







#### FULL FACE HELMET INTERCOM KIT

#### **OPEN FACE HELMET INTERCOM KIT**

Nexus Connection.
Noise cancelling microphone.
High-quality speakers.



Nexus Connection.

Noise cancelling microphone installed on flexible arm.



#### **OPEN FACE CHEEK PADDING**



THICKNESS	BLACK	RED
25 mm	0032RJ02NR25	0032RJ02RS25
30 mm	0032RJ02NR30	0032RJ02RS30
35 mm	0032RJ02NR35	0032RJ02RS35





ON DEMAND



ON DEMAND



00537013



#### TOP PADDING

#### COMPATIBLE WITH BOTH FULL FACE AND OPEN FACE HELMETS

These kits allow for the best possible helmet fitting, with the right choice of thickness for the user's needs.

Installation is simple and rapid, thanks to the strap fastenings.

BLACK
0032R01XXL
0032R01MMLLXL
0032R01XXS







RACII

RACING

ARNESSES

U L Z

SUITS

HOES

SNOIL

SEATS ARNESSES

SIM RACING

LIFESTYLE

# INTERCOM

#### GSM

- GSM control unit for clear and stable driver-pits communication.
- Magnetic GSM antenna.
- Antenna fixing bracket for plastic surfaces.
- Nexus male connector.
- Integrated SIM slot.
- On/Off potentiometer with volume control.
- 12V power cable.
- Rollcage or dashboard installation.



00537033

Notes: disable the PIN function on the SIM card, the performance of the system depends on the availability of the GSM signal.

#### IS-150 BT NEW

- Professional Digital DSP intercom control unit kit with preset noise filters.
- Double potentiometer with independent Driver and Co-Driver volume.
- Bluetooth telephone module.
- With Nexus Female (BT-F) and Male (BT-M) connector.
- RCA connector for in-car camera.
- AUX connector for telephone and radio.
- Power cable for connection to the 12V car battery.
- Rollcage or dashboard attachment with anti-vibration pad.





IS-150 BT-F 00537030

#### IS-140 NEW

- Professional intercom control unit kit.
- Double potentiometer with independent Driver and Co-Driver volume.
- Nexus Female Female connectors with 2m cables.
- RCA connector for in-car camera.
- Power cable for connection to the 12V car battery. 9V power supply with battery compartment.
- Automatic exclusion of the 9V battery in the presence of a 12V power supply.
- Rollcage or dashboard attachment with anti-vibration pad.



00537029

#### IS-110

- Entry level intercom control unit kit with single volume potentiometer.
- 12V car battery connection cable.
- 9V battery compartment.
- 2m driver/navigator cable with 6.3mm female output jack.
- Bottom suitable for rollcage or dashboard attachment.



00537028

#### NX-1 HEADSET

Asymmetrical design for better microphone fit with ambient noise ablation and Nexus connectors.



ACING

HARNESSES ERING WHEE

CHANICS

TS

....

SN

PROT

SEATS

M RACING CHAIRS

CESSORIES

# ACCESSORIES BAG AND HELMET HOLDER

#### **HELMET AND F.H.R. BAG**



#### TWO HELMETS CASE





#### **HELMET BAG**




#### **HELMET HOOK**



01666

### **HELMETS NET**





# F.H.R. DEVICES

THANKS TO THE NEW TRADE AGREEMENT, SPARCO IS ABLE TO PROVIDE THE BEST RANGE OF HEAD

RESTRAINT FOR SIZES, STRUCTURE, WEIGHT AND PRICE.

MOREOVER, THANKS TO THE USUAL CARE FOR ITS PRODUCTS, SPARCO IS THE ONLY FACTORY ABLE TO PROVIDE TO CUSTOMERS A FULLY COMPATIBLE PACKAGE INCLUDING THE ENTIRE SET (HELMET, HARNESS AND SEAT).

#### **FEATHERLITE**

Material: 100% high strength Carbon. Weight: about 310g. Sliding Tethers. New curvature beam.

DEGREE	SIZES
30	М
20	M - L

00396F..



### **ULTIMATE**

Material: 100% Carbon. Weight: about 490. Improved fitting. Sliding Tethers.

DEGREE	SIZES
30	М
20	M - L

00393U..



#### CLUB 3

Material: Thermoplastic. Weight: about 640g. 2 sizes available. Sliding Tethers.

DEGREE	SIZES
20	M - L

00394C...



#### **CLUB**

Material: high resistance PVC. Weight: around 950g. Ergonomic design shape. Sliding Tethers.

SIZES
M/L - L/XL

00391C..



SSES

HARNES

ECHANICS ECHNICAL

SUITS

HOES

TECTIONS

EATS NESSES

PERF S HAR

6-SPORTS

FESTYLE OTHING

## **SEATS INDEX**

#### SUPERCARBON TECHNOLOGY

#### ADV PRIME / ADV PRIME PAD NEW

SHELL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 8300 / SEAT: 10500



#### **ADV XT**

SHELL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 7500 / SEAT: 10750



### **ADV ELITE**

SHELL: CARBON FIBER SIZE: L HRS: YES

WEIGHT (GR): SHELL: 7810 / SEAT: 10300



## **ADV SCX / ADV SCX-H**

SHELL: CARBON FIBER SIZE: M/L **HRS:** YES WEIGHT (GR): SHELL: 8575 / SEAT: 10750





ADV SC

SHELL: CARBON FIBER SIZE: M **HRS:** YES WEIGHT (GR): SHELL: 10485 / SEAT: 12900



#### ADV COMPETITION / ADV COMPETITION PAD NEW

SHELL: CARBON FIBER SIZE: M/L WEIGHT (GR): SHELL: 9000 / SEAT: 11200 (11000 PAD)





#### NEW 8855-2021 STANDARD

#### **MASTER**

**SHELL:** FIBERGLASS SIZE: L HRS: YES WEIGHT (GR): SHELL: 11250 / SEAT: 14000



SIZE: L **HRS:** YES WEIGHT (GR): SHELL: 9700 / SEAT: 12000



**SHELL: FIBERGLASS** SIZE: L **HRS:** YES WEIGHT (GR): SHELL: 12000 / SEAT: 14900

### CARBON / CARBON-KEVLAR TECHNOLOGY

### QRT-C

SHELL: CARBON FIBER SIZE: M WEIGHT (GR): SHELL: 4300 / SEAT: 5500

#### **LEGEND**

SHELL: CARBON-KEVLAR SIZE: S HRS: NO WEIGHT (GR): SHELL: 5300 / SEAT: 6000

WEIGHT (GR): EVO / EVO L SHELL 4500 - SEAT 5600

WEIGHT (GR): CIRCUIT SHELL 6400 / SEAT 7900

EVO XL SHELL 4800 - SEAT 6100

CIRCUIT CARBON / CIRCUIT CARBON II

CIRCUIT II SHELL 6700 / SEAT 8200

GAMMA EVO CARBON NEW

SHELL: CARBON FIBER

SHELL: CARBON FIBER

SIZE: M/L/XL

HRS: NO

SIZE: M/L HRS: NO



008007ZNR









008013ZNR





#### CARBON TECHNOLOGY

#### ULTRA CARBON NEW

SHELL: CARBON FIBER SIZE: S HRS: NO WEIGHT (GR): SHELL / SEAT: 3800

FIBERGLASS TECHNOLOGY

#### ULTRA NEW

SHELL: GLASS FIBER SIZE: S WEIGHT (GR): SHEL / SEAT: 5200



#### QRT-R / QRT-R SKY

SHELL: QRT SIZE: M HRS: NO WEIGHT (GR): SHELL: QRT-R: 5900 / SEAT QRT-R: 7600 SHELL QRT-R SKY: 5900 / SEAT QRT-R SKY: 8300



008012RNRSKY



SHELL: QRT SIZE: L HRS: NO

PRO 2000 QRT

WEIGHT (GR): SHELL: 6800 / SEAT: 8000

#### PRO ADV QRT

SHELL: QRT SIZE: M/L HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300



#### **CIRCUIT QRT / CIRCUIT II QRT**

SHELL: QRT SIZE: L HRS: YES WEIGHT (GR): SHELL CIRCUIT: 7100 / SEAT CIRCUIT: 8600 SHELL CIRCUIT II: 7200 / SEAT CIRCUIT II: 9600



008011RNR

QRT TECHNOLOGY

#### **EVO QRT RANGE**

SHELL: QRT TAGLIA: M/L/XL HRS: NO WEIGHT (GR: SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900 SHELL EVO QRT: 5000 / SEAT EVO QRT: 7300 SHELL EVO SKY QRT: 5000 / SEAT EVO SKY QRT: 7300









#### **EVO QRT X RANGE**

SHELL: QR SIZE: M/L/XL HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 SEAT EVO L QRT X: 7700 SHELL EVO XL QRT X: 6700 SEAT EVO XL QRT X: 7900 SHELL EVO QRT X: 5000 SEAT EVO QRT X: 7300







#### GRID-Q / GRID-Q SKY

SHELL: QRT SIZE: M HRS: NO

WEIGHT (GR): SHELL GRID-Q: 6500 / SEAT GRID-Q: 7300 SHELL GRID-Q SKY: 6500 / SEAT GRID-Q SKY: 7700





#### REV QRT

SHELL: QRT SIZE: S/M HRS: NO WEIGHT (GR): SHELL: 6000 / SEAT: 7100



#### TUBULAR FRAME TECHNOLOGY

#### **SPRINT RANGE**

SHELL: TUBULAR SIZE: M/L HRS: NO WEIGHT (GR): SHELL SPRINT L: 10400 SHELL SPRINT/SPRINT SKY: 7940 SEAT SPRINT L: 11000 SEAT SPRINT/SPRINT SKY: 9700







138

OMOLOGATION

<sup>\*</sup>THE INDICATED WEIGHT IS CALCULATED ON THE AVERAGE VALUE OF THE ANALYZED SAMPLES, IT CAN UNDERGO VARIATIONS.

## HIGHLIGHTS



New use of k-point fabric.



Full-length cushion with separate leg rest.



The seat is approved in conjunction with the side mounting frames **004990ADV**.



- Developed in collaboration with M-sport.
- New lining design.
- Self-extinguishing fabric lining.
- FIA approved energy absorbing padding.
- M12 lateral fastening with 290 mm spacing.



SUITS

SHOES

ECTIONS

S H

SEATS HARNESS

BIM RACIN

CLOTHING

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8300 / SEAT: 10500

NEW



# HIGHLIGHTS



New use of k-point fabric.



Full-length cushion with separate leg rest.



The seat is approved in conjunction with the side mounting frames 004990ADV.



#### ● 008033ZPNR

• New upholstery design with removable pad in double density foam



39 Rear FIX

# HIGHLIGHTS



Self-extinguishing fabric lining.




Split leg rest cushion.



The seat is approved in conjunction with the side mounting frames 0049605.




- FIA-approved energy absorbing padding.
- Non-slip fabric for shoulders and seat.
- Attached using M12 lateral fastenings with 290 mm spacing.





HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 7810 / SEAT: 10300

# HIGHLIGHTS




FIA-approved energy absorbing padding.



Non-slip fabric for shoulders and seat.




The seat is approved in conjunction with the side mounting frames 004988ADV.



• Attached using M12 lateral fastenings with 290 mm spacing.







# ADV SCX / SCX-H

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 8575 / SEAT: 10750



# ADV SC

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 10485 / SEAT: 12900



## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Split legrest cushion.



The seat is approved in conjunction with the side mounting frames ADV SCX and ADV SCX-H 004985ADV.

#### • Self-extinguishing fabric lining.

- FIA-approved energy absorbing padding.
- Attached using M12 lateral fastenings with 290 mm spacing.




■ 00804ZNR

#### ADV SCX-H







## HIGHLIGHTS



Self-extinguishing fabric lining.



Non-slip fabric for shoulders and seat.



The seat is approved in conjunction with the side mounting frames **004982ADV**.



- FIA-approved energy absorbing padding.
- Attached using M12 lateral fastenings with 290 mm spacing.



proved in the side

ICS I

UITS

2 H C

DTECTIONS

SEATS HARNESSES

SIM RACINO

CLOTHING

# ADV COMPETITION APPROVED

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11200



# ADV COMPETITION APPROVED

HOMOLOGATION: FIA 8862-2009 MATERIAL: CARBON FIBER HRS: YES WEIGHT (GR): SHELL: 9000 / SEAT: 11000



eparco

## HIGHLIGHTS



New use of k-point fabric.



Full-length cushion with separate leg rest.



The seat is approved in conjunction with the side mounting frames 004990ADV.







- Shaped backrest to wrap around the driver.
- Efficient construction technology.



## HIGHLIGHTS



Shaped backrest to better fit the driver.



Backrest with additional reinforcement in the lumbar area.



The seat is approved in conjunction with the side mounting frames 004990ADV.








#### ■ 008034ZPNR

- Ergonomics designed for professional drivers.
- Shaped backrest to wrap around the driver.
- Backrest with additional reinforcement in the lumbar area.
- Efficient construction technology.
- New upholstery design with removable pad in double density foam.



**APPROVED** 

# HIGHLIGHTS



Insertion of internal memory foam pads.



Integrated racing net guides.




Specific brackets approved for: Renault Clio RALLY3, RALLY4, RALLY5, Ford Fiesta RALLY3, Peugeot 208 RALLY4.




### ● 008032FNR

- New seat compliant with the more stringent 8855-2021 approval.
- Shock absorbing foam on the head.
- Suitable for drivers between 1.75 - 1.95 m in height.
- Non-slip fabric for shoulders and seat.



# HIGHLIGHTS



FIA-approved energy absorbing padding.



Integrated racing net guides.



The seat is approved with two different side mounting frames height (in conjunction with mounting frames 004932H e 004932L).



- Self-extinguishing fabric lining.
- Suitable for drivers betwee 1.65 - 1.80 m in height.
- Split leg rest cushion.
- Attached using M12 lateral fastenings with 290 mm spacing.



HOMOLOGATION: FIA 8855-2021 MATERIAL: FIBERGLASS HRS: YES WEIGHT (GR): SHELL: 12000 / SEAT: 14000

MANUFACTURER: SPARCO
MODEL: MATRIX
HOM. NO: XX.XXX.XX
FIA STANDARD: 8855-2021


NEW



# HIGHLIGHTS



Developed according to the new technical regulations 8855-2021.



Special reinforcing foil with honeycomb matrix.



The seat is approved in conjunction with the side mounting frames **004926**.



 Designed for greater ergonomics using sae manikin.

 New efficient construction technology.







HARNESSES STEERING WHEEL

ECHANICS

SUITS

DES

CTIONS

SES

SEATS HARNESSE

IM RACING CHAIRS

CLOTHING

# QRT-C

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): SHELL: 4300 / SEAT: 5500



# LEGEND

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON-KEVLAR PRE-PREG HRS: NO WEIGHT (GR): SHELL: 5300 / SEAT: 6000



# HIGHLIGHTS



High structural strength.




Non-slip fabric for shoulders and seat.




Attached using M8 lateral fastenings with 290 mm spacing.







## HIGHLIGHTS



VEP fabric with original checkered lining.



Pre-preg carbon-kevlar frame.



Lower fasteners 317x345 (M8) (does not mount on guide **00943..**).





■ 008021ZRS ■ 008021ZNR



4XM8

4XM8

317

bottom Lat FIX

551

RACING

SUITS

SHOES

DTECTIONS

SEATS ARNESSES

IM RACING CHAIRS

CLOTHING ACCESSORIES HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER

HRS: NO WEIGHT (GR): SHELL 4500 / SEAT 5600

# EVO CARBON NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER HRS: NO WEIGHT (GR): EVO L SHELL: 4500 / SEATS: 5600 - EVO XL SHELL: 4800 / SEATS: 6100

## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.





■ 008007ZNR

## HIGHLIGHTS



Non-slip fabric for shoulders and seat.



Super light shell in carbon fiber.



Attached using M8 lateral fastenings with 290 mm spacing.

#### **EVO L CARBON**









**APPROVED** 

MANUFACTURER: SPARCO MODEL: CIRCUIT I CARBON HOM. NO: CS.494.22 FIA STANDARD: 8855-1999

008019ZNR

290

392 FIX

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: M HRS: YES WEIGHT (GR): SHELL: 6400 / SEAT: 7900

HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: L HRS: YES WEIGHT (GR): SHELL: 6700 / SEAT: 8200

# HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Super light shell in carbon fiber.



Divisible leg rest and seat cushion.

# HIGHLIGHTS




Non-slip fabric for shoulder and seat restraint.



Super light shell in carbon fiber.



and seat cushion.



008011ZNR



HOMOLOGATION: FIA 8855-1999 MATERIAL: CARBON FIBER SIZE: S HRS: NO WEIGHT (GR): SHELL / SEAT: 3800

MANUFACTURER: SPARCO MODEL: ULTRA HOM. NO: CS.XXX.XX FIA STANDARD: 8855-1999

ULTRA NEW

HOMOLOGATION: FIA 8855-1999 MATERIAL: FIBERGLASS SIZE: S HRS: NO WEIGHT (GR): SHELL / SEAT: 5200





Ultralight seat.




Laminated with double shell in Carbon Fiber.



Ergonomics designed for use without padding.







# HIGHLIGHTS



Ultralight seat.



Laminated with double shell in Glass Fiber.



Ergonomics designed for use without padding.







HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5900 / SEAT: 7600



# PRO 2000 QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 6800 / SEAT: 8000





Non-slip fabric for shoulders and seat.



Integrated lumbar support.



Attached using M8 lateral fastenings with 290 mm spacing.



## ● 008012RNR


QRT-R SKY



Attached using M8 lateral fastenings

with 290 mm spacing.

**■** 008012RNRSKY



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Lateral kidney supports.




Divisible leg rest and seat cushion.



• Lower attached directly on M8 271x345 base.

Attached using M8 lateral fastenings with 290 mm spacing.



# PRO ADV QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL: 7800 / SEAT: 9300



# CIRCUIT QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: YES WEIGHT (GR): SHELL CIRCUIT QRT: 7100 / SEAT CIRCUIT QRT: 8600 SHELL CIRCUIT II QRT: 8600 / SEAT CIRCUIT II QRT: 9600



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings.





## HIGHLIGHTS



Head Restraint System integrated



Non-slip fabric for shoulder and seat restraint.



Divisible leg rest and seat cushion.



**■**008019RNR

MANUFACTURER: SPARCO MODEL: CIRCUIT II QRT HOM. NO: CS.408.18 FIA STANDARD: 8855-1999

• Attached using M8 lateral fastenings with 290 mm spacing.

#### **■** 008011RNR







HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL: 5000 / SEAT: 7300



# EVO QRT L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT: 6500 / SEAT EVO L QRT: 7700 SHELL EVO XL QRT: 6700 / SEAT EVO XL QRT: 7900



## HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.



EVO SKY QRT

Sky upholstery.



■ 008007RNRSKY



## HIGHLIGHTS



New backrest with integrated lumbar cushions.



Divisible leg rest and seat cushion.



Attached using M8 lateral fastenings with 290 mm spacing.

#### EVO L QRT




**EVO XL QRT** 





■008015RNR



\_\_\_\_

CLOTHING

170

# EVO QRT X

WATER-REPELLENT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO QRT X: 5000 / SEAT EVO QRT X: 7300

■ 008007XNR



# EVO QRT X L/XL

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL EVO L QRT X: 6500 / SEAT EVO XL QRT X: 7700 SHELL EVO XL QRT X: 6700 / SEAT EVO XL QRT X: 7900

**APPROVED** MANUFACTURER: SPARCO MODEL: EVO L QRT HOM. NO: CS.432.19 FIA STANDARD: 8855-1999

### HIGHLIGHTS



Waterproof fabric specific for off-road use.



Divisible leg rest and seat cushion.




Attached using M8 lateral fastenings with 290 mm spacing.








### HIGHLIGHTS



Waterproof fabric specific for off-road use.



Divisible leg rest and seat cushion.



M8 lateral fastenings with 290 mm spacing.

#### EVO L QRT X



**EVO XL QRT X** 





**■** 008015XNR



# GRID-Q QRT

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6500 / SEAT 7300



# **REV QRT**

HOMOLOGATION: FIA 8855-1999 MATERIAL: QRT HRS: NO WEIGHT (GR): SHELL 6000 / SEAT 7100



# HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Customizable padded pads.



Divisible leg rest and seat cushion.



# ● 008009RNR

#### GRID-Q SKY QRT






595

420 Rear FIX

420 Rear FIX

620

# HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.




New backrest with integrated lumbar cushions.



Attached using M8 lateral fastenings with 290 mm spacing.





SEATS RNESSES RING WHEELS

SIM RACING CHAIRS

CLOTHING

# SPRINT/SPRINT L

HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT: 7940 / SEAT SPRINT: 9700 SHELL SPRINT L: 10400 / SEAT SPRINT L: 11000




# **SPRINT SKY**

HOMOLOGATION: FIA 8855-1999 MATERIAL: TUBULAR FRAME HRS: NO WEIGHT (GR): SHELL SPRINT SKY: 7940 SEAT SPRINT SKY: 9700



## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Tubular frame with elastic backrest and seat structure.



Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



#### SPRINT L

■ 008235RS

008235AZ ■ 008235NR













## HIGHLIGHTS



Non-slip fabric for shoulder and seat restraint.



Sky upholstery.




Lower attached directly on M8 271x345 base. Attached using M8 lateral fastenings with 290 mm spacing



• Elastic backrest and seat structure.

• Lower attached directly on M8 271x345 base.



# ACCESSORIES

SIDE SEAT

#### FIA-APPROVED MOUNTING FRAMES FOR SEATS WITH SIDE MOUNTING



Longitudinal distance between holes 290 mm. Max length 415 mm. Simple mounting in the car with more than 25 positions. 6 mm anodized aluminium.



#### 00492LAT

Dismountable mounting frame made of Steel. Maximum height and length adjustability (22 eyelets on the base element). New L shape of the lateral element to allow a double lockage with the base element.



290 mm spacing. High resistance steel, 3 mm thick. 500 mm length.



#### 004902

Longitudinal distance between holes 290 mm. Max length 400 mm. Simple mounting in the car with more than 25 positions. 3 mm black powder coated.



#### 004901NR

(L max 360 mm) Longitudinal wheelbase 290 mm. 3 mm thick steel.

#### SUBFRAMES FOR BOTTOM MOUNTING

FOR THE COMPLETE APPLICATION LIST SEE THE PRICE LIST.



#### **DRIVER DRINK**

01045NR



Drink bag. Insulates from outside heat and keeps drinks at a constant temperature. Holds 1.5 litres, inner bottle and spout also available as spare parts. Four braces for attachment to the seat.

#### OFF ROAD CUSHION LOW - FIA COMPLIANT



Memory foam cushion. 01033NR

Water repellent version.

01033XNR NEW

High density foam water repellent version. 01035XNR NEW

#### OFF ROAD CUSHION HIGH - NOT FIA COMPLIANT



Water repellent memory foam cushion high. 01034XNR

High density foam water repellent version. 01036XNR NEW

#### **OPTIONAL PADDING**



#### 04108009PAD

Pair of side cushions suitable for FIA 8855-1999 seats



#### 01011

Leg support cushion.



■01022AZ 01022RS

■ 01022NR

Pair of lumbar side backrests.



01023

Universal lumbar backrest.

#### **CUSHION FULL KIT (BACK + BOTTOM)**



CODE	SEAT
01048KIT8007NR	EVO QRT
01048KIT8007SKY	EVO QRT SKY
01048KIT8013NR	EVO L QRT
01048KIT8015NR	EVO XL QRT
01048KIT8014NR	REV QRT
01048KIT8012NR	QRT R
01048KIT8012SKY	QRT-R SKY
01048KIT8025NR	QRT-C
	01048KiT8007NR 01048KiT8007SKY 01048KiT8013NR 01048KiT8015NR 01048KiT8014NR 01048KiT8012NR 01048KiT8012SKY



CODE	SEAT
01048KIT8019NR	CIRCUIT
01048KIT8011NR	CIRCUIT II
01048KIT8017NR	PRO ADV QRT
01048KIT8016NR	PRO 2000 QRT
01048KIT8018NR	PILOT QRT
01048KIT8009NR	GRID Q
01048KIT8009SKY	GRID Q SKY



#### MADE IN ITALY

#### FORMULA

#### FORMULA H-10

FIXING: DOGBONE / BOLT ON

ANCHORAGE POINT: 6 POINTS (8 POINTS ON DEMAND)

#### FORMULA H-9

8853-2016 TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON **ANCHORAGE POINT: 6 POINTS** 



#### **FORMULA H-8**

TYPE: FORMULA FIXING: DOGBONE ON SHOULDER / BOLT ON



# **FORMULA H-7**

TYPE: FORMULA FIXING: ROLLCAGE / BOLT ON **ANCHORAGE POINT: 6 POINTS** 

**ANCHORAGE POINT: 6 POINTS** 







#### PRO RALLY / GT / SALOON

#### PRO H-9 PLUS

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS** 



#### PRO H-9 ENDURANCE ■ ■ NEW

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT:** 6 POINTS



#### **PRO H-9**

8853-201

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / CARABINER / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS** 





#### **PRO H-8 ENDURANCE**

TYPE: RALLY / GT / SALOON FIXING: BOLT ON / ROLLCAGE / DOGBONE (ON DEMAND) **ANCHORAGE POINT: 6 POINTS** 



#### **PRO H-7**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 



#### COMPETITION RALLY / GT / SALOON

#### **COMPETITION H-3 LT**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 



TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-3**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-3+2**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

#### **COMPETITION H-2 PD**

TYPE: RALLY / GT / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 6 POINTS** 

# 04818RHALPD1RS










04818RHALPD1AZ















#### SPORT RALLY / SALOON / HISTORICAL

#### SPORT H-4

TYPE: RALLY / SALOON FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 4 POINTS** 







SPORT OFFROAD / OFFSHORE

#### SPORT H-5 SFI / SFI CAMO

TYPE: OFFROAD / OFFSHORE FIXING: ROLLCAGE / SNAP ON **ANCHORAGE POINT: 5 POINTS** 







04806SFIVDM

\$ Tezos

**APPROVED** MANUFACTURER: SPARCO MODEL: 04822H HOM. NO: SH.060.19-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016



adence

- 6-Point or 8-Point (on demand) belt.
- 2" specific FHR shoulder straps.
- Full release titanium buckle.
- Aluminum adjusters.
- Dogbone fixing (screw fixing on request).
- Mclaren F1 Racing official equipment.



04822HNR





HOMOLOGATION: FIA 8853-2016



# FORMULA H-8

HOMOLOGATION: FIA 8853-2016



## HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Pecific f1 straps and aluminum adjusters.
- Luminum buckle with fixed point on abdominal.
- Fixing with adjustable double tongue.
- fl straps and aluminum adjusters.



## HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Aluminum adjusters only on shoulder straps.
- Adjustable abdominal and thigh straps.
- Triangle screw fixings, 13 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.



04823HNR

# FORMULA H-7

HOMOLOGATION: FIA 8853-2016

# **APPROVED**

# HIGHLIGHTS

- 6 point seat belt for single-seater.
- 2" specific FHR straps.
- Aluminum buckle.
- Steel adjusters on shoulder and abdominal straps.
- Triangle screw fixings, 13 mm diameter hole, roll-cage or dog bone mounting possible by eliminating triangles.



■ 04819H2NR 04819H2RS **04819H2AZ** 

187

HOM. NO: SH.019.17-T-6 FIA STANDARD: 8853-201

NEW

HOMOLOGATION: FIA 8853-2016



# HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- New light aluminum buckle derived from F1.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).



# PRO H-9 ENDURANCE


MANUFACTURER: SPARCO MODEL: 04825H HOM. NO: SH.071.19-T-6 FIA STANDARD: 8853-2016

HOMOLOGATION: FIA 8853-2016

# HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- New light aluminum buckle derived from F1 with "latching guide extension" integrated into the buckle.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).
- It differs from the PLUS version for the addition of pulldown ventral straps in pulldown configuration and introduction of the "easy-latching" extension on the buckle.





Æ

SUITS

SHOES

DTECTIONS

ATS ESSES

D PERF

B-SPORT SIM RACIN

TEAMWEAR 4 LIFESTYLE CLOTHING HOMOLOGATION: FIA 8853-2016



# HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjusters.
- Rollcage fasteners (shoulders and thigh) and ultra-light carabiner (abdominal).
- M-Sport racing team Official WRC Championship harness equipment.



# PRO H-8 ENDURANCE



HOMOLOGATION: FIA 8853-2016

# HIGHLIGHTS

- 6-point endurance belt
- 2" Specific FHR shoulder straps.
- Compact T-bar.
- Aluminum buckle.
- Aluminum adjuster on shoulder straps.
- Steel adjuster on thighand abdomen.
- Screw fasteners on all branches.
- Roll fixing bars for shoulder straps and leg harnesses.
- Official Dallara Stradale harness equipment.





HOMOLOGATION: FIA 8853-2016



# **COMPETITION H-3 LT**

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point seat belt.
- 2" specific FHR shoulder straps.
- Compact T-bar.
- Aluminum buckle.
- High resistance steel adjusters.
- Snap on fixing for all straps or on rollcage by removing accessories.



- 04821HMAZ
- **04821HMRS**

## HIGHLIGHTS

- 6 point seat belt.
- 3" shoulder straps.
- Aluminum buckle.
- Aluminum adjusters.
- Snap-hook fasteners on all straps.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.



■ 04818RALNR **04818RALRS** 

■ 04818RALAZ



# COMPETITION H-3+2 LT

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point seat belt.
- 3" specific FHR shoulder straps with reduction to 2".
- Aluminum buckle.
- Aluminum shoulder and abdominal strap adjusters.
- Pull down adjustment on abdominal straps.
- Snap-hook fasteners on all straps.
- Possibility of roll-cage fixing on shoulder and thigh straps by removing accessories.



**■** 04818RHALPD1NR **04818RHALPD1RS** 

**04818RHALPD1AZ** 



# **COMPETITION H-3**

**COMPETITION H-2 PD** 

HOMOLOGATION: FIA 8853-2016

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point seat belt.
- 3" shoulder straps
- Aluminum buckle.
- Steel shoulder and abdominal strap adjusters.
- •Snap-hook fasteners on all straps.
- Rollbar fixing by removing the snap-hook.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.



## HIGHLIGHTS

- 6 point harness.
- 2" FHR specific straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Pull down adjustment on abdominals by integrated pull adjusters.
- Snap hooks or rollcage fixing by removing the accessories.
- Compact T-Bar.



# **COMPETITION H-3+2**

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 6 point seat belt.
- 3" specific FHR shoulder straps with reduction to 2".
- Aluminum buckle.
- Steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps.
- Possibility of fixing to rollcage on shoulder straps and leg loops by removing the accessories.





MANUFACTURER: SPARCO MODEL: 04716M HOM. NO: B-345.T/98 FIA STANDARD: 8854-1998

SPORT H-5

HOMOLOGATION: SFI 16.1

**HOMOLOGATION:** FIA 8854-1998

## HIGHLIGHTS

- 4 point seat belt.
- 3" shoulder straps.
- Aluminum buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Snap-hook fasteners on all straps or rollcage fixing on shoulder straps by removing the accessories.



- 04716M1NR 04716M1RS
- 04716M1AZ

# HIGHLIGHTS

• 5 point seat belt.

SFI CAMO

- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



# **SPORT H-5**

**HOMOLOGATION: SFI 16.1** 

# **ACCESSORIES**

HOMOLOGATION: FIA 8853-2016

## HIGHLIGHTS

- 5 point seat belt.
- 3" shoulder straps.
- Latch-n-link buckle.
- High resistance steel shoulder and abdominal strap adjusters.
- Ideal for off-road vehicles and/or boats.



#### PAIRS OF SHOULDER PADS

• Pair of pads for 3" harnesses. Made of padded velour. NOT FIREPROOF.



0109853R



**0109853A** 

<u>eparco</u>



■ 0109853N

#### **EYEBOLT** Thread 7/16



04501

REINFORCEMENT FIXING PLATE Thread 7/16



04502



#### **MADE IN ITALY**

F-10C

TYPE: FORMULA DIAMETER (MM): 270



R215 / R215 FLAT TYPE: RALLY DIAMETER (MM): 350



015R215FL



015R215FS

F-10A

TYPE: FORMULA DIAMETER (MM): 270



015P270SSN



TYPE: RALLY DIAMETER (MM): 350



P310/P310 OPEN ■■

TYPE: FORMULA / SALOON DIAMETER (MM): 310



015P310F2SN







015R345MLN

P300

TYPE: FORMULA / SALOON DIAMETER (MM): 300





TYPE: RALLY / OFF ROAD / TRUCK DIAMETER (MM): 380



R323

TYPE: RALLY / SALOON DIAMETER (MM): 270







R330 / R330B TYPE: FORMULA / SALOON

DIAMETER (MM): 330





015R350CL0





R350 / R350B TYPE: FORMULA / SALOON DIAMETER (MM): 350



015R350CS0











015R383PSNLOGO


P310 **•••** 

MATERIAL: SUEDE

**MATERIAL: SUEDE** 

# HIGHLIGHTS

- Carbon steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor anufacturers.
- Hole interaxis 3x50.8 mm.





# HIGHLIGHTS

- Flat steering wheel ideal for GT car.
- Hole interaxis: 6x70 mm.





F-10A


MATERIAL: SUEDE

# P310 OPEN ...

**MATERIAL: SUEDE** 

# HIGHLIGHTS

- Aluminium steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor, anufacturers.
- Hole interaxis 3x50.8 mm.



202

#### 015P270SSN

015PC270SSN




# HIGHLIGHTS

• Open top, ideal for GT cars.

• Hole interaxis: 6x70 mm.







203

015P310F2SN

MATERIAL: SUEDE

# HIGHLIGHTS

- Flat steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.













R323 -

MATERIAL: SUEDE


# HIGHLIGHTS

- Flat steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.











## HIGHLIGHTS

• Hole interaxis: 6x70 mm.

Ø 33/25

WITHOUT BUTTONS



WITH BUTTONS

• IP68 buttons for water and dust protection.

015R330CL0

LEATHER WITHOUT BUTTONS

015R330CS0 SUEDE WITHOUT BUTTONS 015R330PS0

SUEDE + BUTTONS




## HIGHLIGHTS

• Dished steering wheel with lighter spokes.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





# R350 / R350 B ...

MATERIAL: SUEDE / LEATHER

# **R215 FLAT**

MATERIAL: SUEDE / LEATHER

# HIGHLIGHTS

• Hole interaxis: 6x70 mm. Ø 33/25





015R350CL0

LEATHER WITHOUT BUTTONS

015R350CS0 SUEDE WITHOUT BUTTONS



• IP68 buttons for water and dust protection.

> 015R350PS0 SUEDE + BUTTONS



# HIGHLIGHTS

• Suede flat steering wheel for rally use.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.





R325 -

R368 **•••** 


MATERIAL: SUEDE

# HIGHLIGHTS

Dished steering wheel with three spokes and small grip.

■ Hole interaxis: 6x70 mm.

New horn button colour kit included.





# HIGHLIGHTS

Dished steering wheel optimal for off-road use.

MATERIAL: SUEDE

• Hole interaxis: 6x70 mm.

New horn button colour kit included.






R345 **•••** 

MATERIAL: SUEDE / LEATHER

# HIGHLIGHTS

- Dished steering wheel with small grip.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





R353 •••

R383 LOGO NEW


MATERIAL: SUEDE

# HIGHLIGHTS

• Dished steering wheel with large grip.

MATERIAL: SUEDE

• Hole interaxis: 6x70 mm.





015R353PSN

015R375PSN

# HIGHLIGHTS

- Steering wheel with special comfortable grip shape.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





015R383PSNL0G0

R375 **•••** 

MATERIAL: SUEDE


R383 ...

**MATERIAL: SUEDE** 

# HIGHLIGHTS

- Special 36 mm dished.
- Hole interaxis: 6x70 mm.

New horn button colour kit included.





# HIGHLIGHTS

• Steering wheel with special comfortable grip shape.

• Hole interaxis: 6x70 mm.

New horn button colour kit included.







015R383PSN



- CNC machined aircraft aluminum.
- Hard anodizing for strength and reliability.
- Drilling for assembly 6x70mm.
- FIA compliant (Annex J).



015R98EL

#### QUICK RELEASE

- CNC processed aeronautical aluminium.
- Hard anodised for resistance and reliability.
- Slots for 6x70 mm mount.
- FIA compliant (annex J).



015R98R

#### SW PAD

Steering wheel protection pad.



015002NR



#### **HORN DELETE KIT**



HORN DELETE KIT GLOSSY



0159ZNR

#### RING

### ANODIZED STEERING WHEEL SPACERS



01599NR



01595ANR



01595ANT

#### **RACING PUSH BUTTONS KIT**



#### STEEL WHEEL HUB

# FOR THE APPLICATION LIST PLEASE CHECK PRICE LIST.

Sparco collapsible hubs are made from cast iron with a steel frame that collapse during impacts. This item absorbs kinetics energy avoiding transfer to the driver.

The Sparco steering wheels are TÜV approved only if coupled with the Sparco hubs.





4 LIFESTYLE CLOTHING

**JACKET AND PANTS** 

HOMOLOGATION: FIA 8867-2016 - (SFI 3.4/5 ON DEMAND) SIZES: S-XXL







3 layer construction.



Stretch back panel.



Side pockets.



002023J..



002023P..

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL

HOMOLOGATION: NOT HOMOLOGATED SIZES: S-XXL

### HIGHLIGHTS



Reinforced elbow material.



Elasticated back panel.



Removable kneepads.



002019NR..



002019GR..

### HIGHLIGHTS

MS-4



Front pocket.



Elasticated band.



Side pockets.



002020AZ..



002020RS.. 002020NR.. 002020NR..

HOMOLOGATION: FIA 8856-2018 - SFI 3.2A/5 SIZES: 38-48 CUSTOMIZATION: ON DEMAND



# TORQUE

**01 CERTIFICATION** (EN ISO 20347:2012) SIZES: 37-47 METAL FREE

### HIGHLIGHTS

- Breathable lining.
- Inner shock-absorber insole.



Genuine perforated leather upper and suede reinforcement areas.



Padded ankle for more support.



Rubber and phylon sole for maximum grip and comfort.







0012A6..NRBI

### HIGHLIGHTS

- Breathable mesh lining.
- Easy lacing.
- Phylon sole and oil and hydrocarbon resistant rubber bottom.
- SRA level slip resistance.

Ultra-lightweight and breathable OCCUPATIONAL footwear.







Energy absorption heel.

Tip with ultra-resistant

coated reinforcement.



001289..BMAF

001289..NRNR



001289..NRAZ

001289..NRGF





001289..NRRS



HOMOLOGATION: FIA 8856-2018 **SIZES:** 9-13



### HIGHLIGHTS

NEW

- Increased padded reinforcement on knuckles for maximum protection.
- Aramide knit knuckle reinforcement with silicone coating.
- Ergonomic pre-curved construction.
- Internal seams.



Palm with HTX 3D print vulcano with differentiated zones for maximum grip to absorb vibrations.



Fully ribbed cuff for maximum fit.







001321..GF



001321..NR

### HIGHLIGHTS

- Aramide knit knuckle and finger reinforcement with silicone coating.
- Thumb reinforcement for maximum cut and abrasion protection.
- Internal seams.



Silicone palm with ultragrip texture.



Fully ribbed cuff for maximum fit.



001317..GF







001317..NR

# TIDE-MECA ...

HOMOLOGATION: NOT HOMOLOGATED **SIZES:** 8-12

- FIA 8856-2018 Standard compliant materials.
- Aramide knit knuckle and finger Reinforcements with silicone coating.
- Ergonomic pre-curved construction.
- Internal seams.





Palm with HTX 3D print vulcano with differentiated zones for maximum grip to absorb vibrations.



Thumb reinforcement for maximum cut and abrasion protection.







**PROTECTIVE GLOVES** 

**SPORTAC** 

**SIZES:** 8-11 CERTIFICATION: PPE CAT.2 / EN 388:2016 / EN ISO 21420

SIZES: S-XL COMPOSITION: 47% POLYESTER 35% SUEDE 18% ELASTANE

### HIGHLIGHTS

- The backs of Meca-3 gloves are made from elasticised, printed, scuff resistant fabric.
- The palms are in synthetic, scuff resistant hide and there are reinforcements positioned between thumb and index finger.
- Pads between the fingers provide better breathing.
- Strap for tighter fitting.















### HIGHLIGHTS

- Adamant® diamond structure for a maximum level of cutting resistance.
- Exceptional comfort and dexterity.
- Palm resistant to grease and wet grime.
- Impact resistant on the back.
- Shock absorbing structure on the palm of the hand.



002097..GI

#### PPE CATEGORY II:

Synthetic glove protecting against mechanical risks.

#### ABRASION RESISTANCE:

4 (performance levels).

#### **RESISTANCE TO BLADE CUTTING:**

Coupe test: X (not done).

#### TEAR RESISTANCE:

SIZES: S / M / L COMPOSITION: 51% cotton

47% aramide 2% others

4 (performance levels).

#### **PUNCTURE RESISTANCE:**

3 (performance levels).

#### **RESISTANCE TO CUTTING BY BLADE EN ISO 13997:**

D (performance levels).

#### **EN PROTECTION AGAINST IMPACTS:**

P (performance level).

#### **MECA OVERGLOVES**



00259NR.

# **WORKWEAR TECH**

NEW

TECH SOFT-SHELL NEW

COMPOSITION: Outside 93% polyester, 7% spandex - Inside 100% polyester



02412GSGF..





TECH LIGHT-SHELL NEW

SIZES: XS-XXXL

COMPOSITION: 90% nylon - 10% spandex







TECH LIGHT VEST NEW

SIZES: XS-XXXL

COMPOSITION: 90% nylon - 10% spandex



02419BMAF..



02419GSGF...

TECH HOODED FULL ZIP NEW

SIZES: XS-XXXL

COMPOSITION: 80% cotton - 20% polyester









02414BMAF..

# **WORKWEAR TECH**

NEW

TECH POLO NEW

SIZES: XS-XXXL

COMPOSITION: 65% cotton, 35% polyester with pique effect



02415BMAZ..



02415GSGF..



02415NRGS..

TECH T-SHIRT NEW

SIZES: XS-XXXL

COMPOSITION: 50% cotton, 50% polyester with pique effect



02416GSGF..



02416BMAZ..



02416BMAF..



02416NRGS..

TECH TROUSERS NEW

SIZES: XS-XXXL

COMPOSITION: 90% nylon - 10% spandex









TECH SHORTS NEW

SIZES: XS-XXXL

COMPOSITION: 90% nylon - 10% spandex



02418BMAF..



02418NRGS.

02418GSGF...

# WORKWEAR

#### **SEATTLE SOFT SHELL**

SIZES: S-XXL

COMPOSITION: 100% polyester









02404BM.. 02404NR..

#### PHOENIX - FULL ZIP SWEATSHIRT

SIZES: S-XXL COMPOSITION: Outside 100% polyester inside 100% cotton





#### BOSTON - CARGO MULTISEASON

SIZES: S-XXL COMPOSITION: 98% drill cotton 2% elastane



02400NR..

#### **BERMUDA**

SIZES: S-XXL COMPOSITION: 97% cotton - 3% elastane



02410GS..



02410NR..

#### PORTLAND POLO

SIZES: S-XXXL

COMPOSITION: 100% cotton



02407AZ.. 02407BM.. 02407BM..

#### TRENTON T-SHIRT

SIZES: S-XXXL COMPOSITION: 95% cotton - 5% elastane



02408AZ.. 02408BM.. 02408NR..

#### **DUNGAREES**

SIZES: S-XXL



0020011AZ..

#### **TOOLS BELT**

SIZES: M-XL

Radio belts, adjustable with snap buckle.



M-L min 90 - max 120 cm

016451ML

L-XL

min 120 - max 150 cm 016451LXL

SIM RACING CHAIRS

# FIRE EXTINGUISHERS

#### **MADE IN ITALY**

014777EXP

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,9

FIA 8865

014779EXP

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 5,9



ACTIVATION: ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 2,5 **WEIGHT (KG.):** 3,9

#### 014778EXL3 SP305

**ACTIVATION:** ELECTRIC TYPE: RALLY/CIRCUIT CAPACITY (LT.): 3,9 **WEIGHT (KG.):** 5,1

#### 014772FEAL

**ACTIVATION:** ELECTRIC TYPE: FORMULA CAPACITY (LT.): 0,9 **WEIGHT (KG.):** 1,8

FIA 2000

014772EXL

**ACTIVATION: ELECTRIC** TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 6,7

014772MSL

**ACTIVATION: MECHANIC** TYPE: RALLY/CIRCUIT **CAPACITY (LT.):** 4,25 **WEIGHT (KG.):** 8,1









014778EXL3



014772FEAL





#### 014773BXLN2

**ACTIVACTION: HAND HELD TYPE:** RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 3,4



014773BXLN2

014773BXL24

**ACTIVACTION: HAND HELD** TYPE: RALLY CAPACITY (LT.): 2,4 **WEIGHT (KG.):** 4,5





**ACTIVATION: HAND HELD** TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.): 2,8** 





#### PG. 329

014775BXL2

**ACTIVATION:** HAND HELD TYPE: RALLY CAPACITY (LT.): 2 **WEIGHT (KG.):** 2,8



014775BXL2

- FIA (8865-2015) approved pressurised extinguishing system.
- 4.3 Kg of FK-5-1-12 extinguishing agent.
- Electric ignition.
- 3.9 L stainless steel tank diameter 130mm length 346 mm.
- 1 Cockpit nozzle + 1 engine nozzle.
- For 2.3m<sup>3</sup> 4.1m<sup>3</sup> cockpits.



014777EXP

### HIGHLIGHTS

**HOMOLOGATION: FIA 8865** 

- FIA (8865-2015) approved pressurised extinguishing system.
- 3.3 Kg of FK-5-1-12 extinguishing agent.
- Electric activation.
- 2.5l stainless steel tank diameter 114mm, length 302 mm.
- 1 Cockpit nozzle
- + 1 engine nozzle.
- For 1.2m3 2.3m3 volume cockpits.



014779EXP

#### ACCESSORIES



MA0142131 + MA0142098



MA0142107



MA0142108



MA0142109



MA0142117



MA0142122



MA0142127



MA0142128 - MA0142129









MA0140024

#### **ACCESSORIES**



MA0142131



+ MA0142098



MA0142122



MA0142107

MA0142127



MA0142109



MA0142128 - MA0142129



MA0142117

MA0142133



MA0142133

MA0142134



MA0142135



MA0142023



MA0142134



MA0142135



MA0142023



MA0140024

**APPROVED** MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

SP305 ...

**APPROVED** MANUFACTURER: SPARCO MODEL: SP425 HOM. NO: EX.052.18 FIA STANDARD: FIA 2000

**HOMOLOGATION: FIA 2000** 

### HIGHLIGHTS

**HOMOLOGATION: FIA 2000** 

- Electrically operated ultra-light extinguishing system.
- 2.5l stainless steel tank diameter 110mm, length 302 mm.
- AFFF extinguishing agent (2 litres).
- Bullet nozzles.
- Full metal fittings.



014778EXL2

### HIGHLIGHTS

- Electrically operated ultra-light extinguishing system.
- 3.9l stainless steel tank. diameter 130mm length 346 mm.
- AFFF extinguishing agent (3 litres).
- Bullet nozzles.
- Full metal fittings.



014778EXL3

#### **ACCESSORIES**



MA0142103



+ MA0142082



MA0142042



MA0140024

238



MA0142040





MA0142043



MA0142030



MA0142029

MA0142041

MA0142023

#### **ACCESSORIES**



MA0142131 + MA0142098



MA0142042



MA0140024



MA0142040



MA0142043



MA0142030



MA0142041



MA0142023

**HOMOLOGATION: FIA 2000** 

### HIGHLIGHTS

- 1.3 litre aluminium single-seater extinguishing system.
- Dimension: diameter 106mm lenght 190mm.
- AFFF extinguishing agent (0.9 litres).
- Pressurised to 16 Bar.
- Solid block-machined nozzles, all-metal connectors.



014772FEAL

### HIGHLIGHTS

- Ultra-light, electrically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in stainless steel (tested at over 40 Bar).
- AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.



#### **ACCESSORIES**



MA0142042



MA0142041



MA0140024

240



MA0142040



MA0142083 MA0142082



MA0142043

MA0142029



MA0142023



MA0142030

#### **ACCESSORIES**



MA0142042



MA0142041



MA0140024



MA0142040



MA01480

MA0142023

MA0142013 MA0142049





MA0142029



MA0142030

**HOMOLOGATION: FIA 2000** 

### HIGHLIGHTS

- Mechanically activated extinguisher system.
- Dimension: diameter 160mm lenght 330mm.
- CE certified bottle in steel (tested at over 40 Bar). AFFF foam extinguisher (4.25 litres).
- Solid block-machined nozzles, all-metal connectors.



#### **ACCESSORIES**



MA0142042



MA0142040



MA0142043



MA0142041

242



MA0142013 MA0142049 MA01480



MA0142029



MA014RL24CL



MA0142023

#### 014773BXLN2

- Ultra-light FIA approved extinguisher.
- 2 litre Novec extinguishing agent.

#### 014773BXLN2



#### 014773BXL24

- Ultra-light FIA approved extinguisher.
- 2.4 litre AFFF extinguishing agent.
- 3.9 litre stainless steel cylinder (h 345 mm diameter 130).

#### 014773BXL24



#### 014773BSS2

- Hand-held extinguisher 2.0 kg EN3 compliant powder.
- Complete with 2 brackets.
- Ultra-light FIA approved extinguisher.

#### 014773BSS2




FEATURES: Passage adhering to the body shell wherever possible. Accurate manufacturing. Specific boxed reinforcements. Made with certified material. Front suspension fixing points on some models.


- 1A Multipoint welded-in, 25CrMo4 with front suspension
- 1B Multipoint welded-in, Fe45 with front suspension
- 2A Multipoint built-in, 25CrMo4 with front suspension fixing points.
- 2B Multipoint built-in, Fe45 with front suspension fixing points.
- 3A 25CrMo4 roll cage without front suspension
- **3B** Fe45 roll cage without front suspension fixing points.
- 3C Weld-in roll cage without front suspension point..
- 4 Roll cages with door bars Fe 45.

#### FOR THE COMPLETE APPLICATION LIST PLEASE CHECK PRICE LIST.

■1A-1B











#### RACING START ADAPTATION KIT




Racing start kit is proposed to upgrade the existing Appendix J roll cages. This kit is composed of 6 tubes to build up the cross reinforcement for the roof and the main roll bar, complete with reinforcement gussets.

#### DOOR BARS KIT



Universal kit composed of 2x door bars (diam. 40x2 mm, length 1200 mm) with 2x welded plugs on one side, 4x M 10 screws, 4x M10 self-locking bolts, 4x forks, 2x plugs.



#### **ROLL BAR PADDINGS**



As from 01.01.2003 FIA-approved padding has become compulsory in all types of races and cars, Sparco supplies a material certified in accordance with FIA regulation 8857-2001. in different choices of length and diameter. The paddings are fitted to the roll cages in all possible points of contact with driver with harnesses fastened.





HOM. NO: CP.0003-03-A

Ø 50 mm - 500 mm - 122 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.0003-03-A FIA STANDARD: 8857-2001

#### 0076045

Ø 45 mm - 500 mm - 131 g - Set 2 pcs





Ø 40 mm - 500 mm - 129 g - Set 2 pcs





MODEL: FIA PADDING HOM. NO: CP.0003-03-A FIA STANDARD: 8857-20

#### 0076035

Ø 35 mm - 500 mm - 135 g - Set 2 pcs

#### **ROLL CAGE FORK**



00781305

Ø 40 mm **0078140S** Ø 50 mm **0078150S** 

Fork for tubes' assembly, using plug + fork system (tube diameter 40 mm) (tube diameter 50 mm)

#### **ROLL CAGE PLUGS**



00780M

Pair of perforated sleeves (diameter 45 mm) for tubes' assembly.

#### REINFORCEMENT PLATES + **COUNTERPLATES FIA 2010 UPDATING KIT**



00780P

Kit composed of 4x perforated plates + 4x flat counter plates (3 mm thick). These plates must be adapted in according to the different configurations of roll cages or body shells and allow to update the roll cage fixing in accordance with 2010 FIA regulation.

#### UNIVERSAL GUSSET KIT FOR ROOF



00798SP1

Kit composed of 2x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 190x85 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage

#### UNIVERSAL GUSSET KIT FOR DOORBAR CROSS



00798SP2

Kit composed of 4x universal reinforcement gussets to be mounted on the tubes' cross joint (dimensions 100x170 mm). This is a universal kit so it's could be necessary for the user to adapt it to his own roll cage.

#### **ROLL CAGE PLUG**



00782NTS

245

Forged plug for tubes' assembly, using plug + fork system.



3 piece set in embossed anodised aluminium, complete with brackets, bolts and screws.

#### PEDAL SETS

03783L



3-piece set in pre-bent and shaped mixed carbon. Brake and clutch with non-slip inserts.

#### KIT OF 8 STICKERS



DRIVER FOOTRESTS

03780AN

(until stock last)



Embossed anodised aluminium, with brackets,

#### DRIVER FOOTRESTS

#### 03788BRI

(until stock last)



Footrest collapsible in the event of a crash. Embossed anodised aluminium.

#### **BONNET PINS**

Pair of stainless steel bonnet pins with captive slide pin.



ASPA002

016065 01606AA 01606AR 01608

#### **FUEL CAPS**

270040A



270050A



Without key.

**HAMMERS** 

01615



27009G



01613



Hammer with seatbelt cutter built-in.



**BATTERY MASTER SWITCH** 

01337



Battery master switch with rotating lever. Instant disconnection of all electric circuits. Provision for remote control Complies with FIA spec. Suitable for 6, 12 and 24V systems, rated at 100A continuous.

01336



Bipolar master battery cutout switch with rotating lever. Instant disconnection of master electric circuit. Provision for remote control. Suitable for 6,

12 and 24V systems, rated at 100A continuous.

247



PIT SIGNAL BOARD

Pit signal kit. 00594



Cover. 00594C

Number sets. 00592/1

Pit board. 00594T






4row reflection-proof black aluminium frame.

Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.

Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.



002193NR




MODEL: 002194NR HOM. NO: RN.011.17 FIA STANDARD: 8863

Seat side fixing with 1" belts and 2 bar adjusters for fixing to rollbar.

Dashboard side fixing with optional double use:

- Quick release fixing with 1" strap.
- Quick release fixing 2" strap and spring-operated adjuster for better net tension.
- Pelican hook system that allows the pre-tensioning of the net as prescribed by the FIA standard.




002194NR



#### WINDOW NETS

In compliance with FIA annex J 253. Dimensions: L. 50 cm, H. 52 cm. Tape for quick fastening to roll bar.



002192FA-R

002192FA-G

002192FA-BM

Ø 100 mm



29410100A

CIRCUIT/RALLY STOP-WATCH

ROAD BOOK

DIGITAL PRESSURE GAUGE

Ø 63 mm

2941063A

Scale 0-4 bar, aluminium handle, rubber cap, high-precision



29424103

**MAPLIGHTS** 

Led Reading lamp, length 49 cm, flexible tube, 12V.



**RACERS TAPE** 



Universal spare wheel fastening with high-strength tape, complete with locking ratchet, 3 eyebolts and 3 fixing plates.



0169550

Transparent, scratchproof adhesive tape. Roll 50 mm wide x50 m.

All-purpose heavy duty racer tape. Roll 50 mm wide x50 metres. 7 different colours.

01692

Aluminised tape. Roll 50 mm wide x50 m.

Cross-key fixing.

03776



**STEEL TOWBARS FIA** 

FIA annex J 253 compliant.



01627RS50

FIA annex J 253 compliant.



01627RS80

**TOW STRAP FIA** 

FIA annex J 253 compliant.



TOW STRAP (NOT FIA APPROVED)

Hole diameter: 15 mm.





01637RS

251

# KARTING LALA LAL

















SUIT

SHOES

ROTECTIONS

RFORMANCE SEATS ARNESSES

RACING

FESTYLE

# SUITS INDEX

#### **MADE IN ITALY**

#### PRIME-K / PRIME-K YOUTH

#### **HOMOLOGATION:**

CIK-FIA 2013-1

**SIZES:** 44-62 **YOUTH SIZE:** 120-150 CUSTOMIZATION:

ON DEMAND

#### X-LIGHT / X-LIGHT YOUTH

#### HOMOLOGATION:

CIK-FIA 2013-1

SIZES: 44-62 YOUTH SIZE: 120-150 **CUSTOMIZATION:** 

CUSTOM EASY ON DEMAND







#### **KERB / KERB YOUTH**

#### HOMOLOGATION: CIK-FIA 2013-1

SIZES: XS-XXL

YOUTH SIZE: 120-150 **CUSTOMIZATION:** 

BY STOCK























**KERB LADY / KERB YOUTH** 

#### HOMOLOGATION:

CIK-FIA 2013-1

SIZES: XS-XXL YOUTH SIZE: 120-150

CUSTOMIZATION:

BY STOCK







#### THUNDER / THUNDER YOUTH

#### HOMOLOGATION: CIK-FIA 2013-1

SIZES: XS-XXL **YOUTH SIZE:** 120-150

**CUSTOMIZATION:** BY STOCK















#### **ROOKIE / ROOKIE YOUTH**

#### HOMOLOGATION:

NOT HOMOLOGATED SIZES: XS-XXL **YOUTH SIZE:** 120-150 **CUSTOMIZATION:** 

NOT CUSTOMIZABLE











Anti-abrasion Cordura® back protection.



Elasticated perforated back panel.



Fully printed, light and resistant fabric.



002308NBGF..



002308NARS..



Hybrid construction with fully printed inserts.



Elasticated anti abrasion back panel.




Ergonomic impact-absorbing padding (on the outside elbow and inside knee).





002309BGFN.. 002309NBRS..

002309NRBI.. 261



Breathable inserts on inside leg and underarm.



Elasticated back panel.



New waist adjustment using straps.











002341LNRBF... -002341LNRGF.. —



Low collar.



Elasticated back panel.









Breathable inserts on inside leg and underarm.



002342NRRS..



002342NRVF.. 002342BSGF..

# ROOKIE / ROOKIE YOUTH

HOMOLOGATION: NOT HOMOLOGATED SIZES: XS-XXL YOUTH SIZES: 120-150 (NRRS ONLY)



Under arm elastic insert.



Rear elastic band.



Hidden hip pockets.



002343NRGF...





SIZES: XS-XXL YOUTH SIZES: 120-150

# RAIN CLOAK

WATERPROOF

SIZES: S/M - L/XL YOUTH SIZES: 130

### HIGHLIGHTS

- 100% thermoplastic polyurethane (TPU).
- Double slider zip.
- Elastic waistband.



Elastic cuff bands.



Light cover flap with velcro.





### HIGHLIGHTS

- 100% thermoplastic polyurethane (TPU).
- Hood with visor with cord and cord stopper.
- Water resistant.



Front button closure.



Pockets with flap.



SHOES

RARTING

PERFORMANC SEATS HARNESSES

SIM RACING

TEAMWEAR S LIFESTYLE **UNDERWEAR** 

SIZES: XXS - XS/S - M/L - XL MATERIAL: 80% POLYPROPYLENE - 12% POLYAMIDE - 4% ELASTANE - 4% CARBON

# **B-ROOKIE**

UNDERWEAR

SIZES: XS-XXL (YOUTH SIZES ON DEMAND) MATERIAL: 100% COTTON

### HIGHLIGHTS



Flat seams thanks to the use of the extra thin thread.



X-COOL treatment.



\* Ergonomics fibres.

#### THE ENDLESS CARBON FABRIC THREAD CREATES AN ANTI-STATIC EFFECT.



002202NREB..





002203NREB..



AVAGNINA ISABEL KATE

002203BIRS..

\* The combination of these fibres promotes ergonomics, softness and comfort, hygroscopicity, breathability, body heat regulation, heat insulation, waterproofing, anti-static and bacteriostatic properties.

#### **B-ROOKIE T-SHIRT**

• 160 Gsm • Short sleeve.







• 160 Gsm • High collar,

long sleeve.

002205GF





002205NR

#### **B-ROOKIE BALACLAVA**

COMPOSITION:100% cotton

Extra flat seams.



002201BI



002201GF



002201RS



002201AZ



002201NR

#### BASIC BALACLAVA

■ 002231N

002231B



The X-COOL refill extends the refreshing treatment on suit and underwear. The application can be done by machine wash.

X-COOL RECHARGE



001157RECHARGE

SHOES

PROTECTION

SEATS HARNESSES

e-SPORTS

AMWEAR IFESTYLE LOTHING

# **SHOES INDEX**

#### **MADE IN ITALY**

#### K-FORMULA

MATERIAL: TUMBLED LEATHER + MICROFIBER SOLE: THIN RACING RUBBER SIZES: 32-34-36 ON DEMAND / 37-48 ON STOCK CUSTOMIZATION: ON DEMAND









#### **K-FORMULA INFINITY**

MATERIAL: TUMBLED LEATHER + MICROFIBER SOLE: THIN RACING RUBBER SIZES: 32-34-36 ON DEMAND / 37-48 ON STOCK CUSTOMIZATION: ON DEMAND / INFINITY



#### K-SKID

MATERIAL: TUMBLED LEATHER + PU LEATHER SOLE: NATURAL RUBBER SIZES: 35-48 CUSTOMIZATION: ON DEMAND







001277..RSNR



#### K-RUN / K-RUN YOUTH

MATERIAL: MESH 3D + MICROFIBER SOLE: NATURAL RUBBER SIZES: 35-48 SIZES YOUTH: 26-28-30-32-34 CUSTOMIZATION: BY STOCK













001271..AZVF

001271..NRAF

#### K-POLE / K-POLE YOUTH

MATERIAL: MICROFIBER SOLE: NATURAL RUBBER SIZES: 35-48 SIZES YOUTH: 26-28-30-32-34













K-POLE WP / K-POLE WP YOUTH

MATERIAL: MICROFIBER SOLE: NATURAL RUBBER SIZES: 35-48 SIZES YOUTH: 26-28-30-32-34



001269WP..NRNR



SIZES: 32-34-36 ON DEMAND / 37-48 ON STOCK CUSTOMIZATION: ON DEMAND

- Lightweight breathable lining.
- Silkscreen prints.
- Comfort insole.
- Thin rubber racing sole.
- Customizable on demand.



Closing system with cables and rotor to speed up shoes opening and closing.



Elastic back insert.









001298..AZGF 001298..NRVF







- Light and breathable lining.
- Overlap tongue integrated with side.
- Silkscreen printed tumbled calfskin uppers.
- Perforations for maximum breathability.
- Ultra resistant Kevlar loops.
- Comfortable insole.
- Natural rubber sole with differentiated grip texture.



Elasticated rear insert.



High abrasion-resistant leather inserts.









001277..BMBI

001277..NRAF





001277..RSNR



SIZES: 35-48 YOUTH SIZES: 26-28-30-32-34 CUSTOMIZATION: BY STOCK

### HIGHLIGHTS

- External lacing with strap.
- Ultra-breathable 3D mesh uppers.
- Thin round laces.
- Internal lateral reinforcement insert.
- Anatomical insole.
- Natural rubber sole with differentiated grip texture.



Silkscreen printed microfiber uppers with matt finish.



Printed anti-abrasion insert on heel.







001271..RSBI





001271..AZVF






001271..AZRS



001271..NRGR



- External lacing.
- Thin flat laces.
- Anatomical insole.
- Internal lateral reinforcement insert.
- Natural rubber sole with diferentiated grip texture.



Silkscreen printed microfiber uppers with matt finish.



Reinforced heel insert.







001269..NRAF



001269..NRGF

001269..BMBI



001269..NRAZ



001269..NRNR





# K-POLE / K-POLE YOUTH

WATERPROOF

**SIZES:** 35-48 **YOUTH SIZES:** 26-28-30-32-34

# RAIN BOOTS

WATERPROOF

SIZES: 35-48 YOUTH SIZES: 24-26-28-30-32

### HIGHLIGHTS

- Evolution of the K-Pole shoe in WP version.
- External lacing with adjustment.
- Microfibre uppers with matt finish.
- Closure system with cables and rotor.
- Internal lateral reinforcement insert.
- Anatomical insole.
- Natural rubber sole with differentiated grip texture.





001269WP..NRNR

### HIGHLIGHTS

- Natural rubber sole.
- Neoprene 100% with external coating 80% Nylon + 20% Spandex.



# RALLY OVERSHOES

WATERPROOF

**SIZES:** S(38,5-40) - M(40-41,5) L(41,5-43) - XL(43,5-45)

### HIGHLIGHTS

 Overshoes made of natural rubber, ideal to protect sole on wet or abrasive surfaces.



002431..

431.. WWE TEEST



# **GLOVES INDEX**

#### **MADE IN ITALY**

TIDE-K

PRECURVED: YES SEAMS: EXTERNAL SIZES: 8-13 CUSTOMIZATION: ON DEMAND - BY STOCK









**ARROW-K** 

PRECURVED: YES SEAMS: EXTERNAL SIZES: 7-12 CUSTOMIZATION: BY STOCK











**ARROW-K INFINITY** 

CUSTOMIZATION: ON DEMAND



RECORD

PRECURVED: YES SEAMS: EXTERNAL SIZES: 7-13 CUSTOMIZATION: BY STOCK











PRECURVED: YES SEAMS: EXTERNAL SIZES: 4-13 CUSTOMIZATION: BY STOCK



PRECURVED: NOT SEAMS: INTERNAL SIZES: 4-13 CUSTOMIZATION: BY STOCK
















002556..BXNR 002556..BXVF 002556..VFNR PRECURVED: NOT SEAMS: HEAT-SEALED SIZES: XXS-XL





#### HIGHLIGHTS

- Thumb joined to back.
- Internal wrist stitching.
- Precurved glove.
- Touch-S on index finger and thumb.
- Polyethylene and cotton jersey fabric.







HTX 3D Volcano palm with differentiated zones.



Ergonomic seam on thumb.



00286..NRVF

00286..NRAF

00286..RSNR



00286..NRNR

CPEROLIN

- External seams.
- Thumb finger with outer stitching.
- Polyethylene and cotton jersey fabric.
- Precurved glove.



Ultra grip silicone palm.



Touch-S on index finger and thumb.



002557..RSBI 002557..BMBI



002557..NRGF



ARROW-K **INFINITY** 



- External seams.
- Polyethylene and polyamide jersey fabric.
- Sublimation printed back.
- Reinforced in the carpal area.
- Precurved glove.





Palm with differentiated silicone printed grip.



Adjustment strap.



002555..NRRS 002555..NRBI



# RUSH

SIZES: 4-13 CUSTOMIZATION: BY STOCK



#### HIGHLIGHTS

- Sublimation printed back.
- Polyethylene and polyamide jersey fabric.
- Wrist with grip print.
- Ultra breathable fabric in the forks.



Synthetic suede leather palm and silicone print.



Internal seams.





002556..RSNR











002556..AZNR



002556..BXNR

002556..VFNR



002556..GRNR



002556..GRAF

# WP ACCESSORIES

RECORD WATER PROOF GLOVE

SIZES: 4-13 CUSTOMIZATION: BY STOCK

#### HIGHLIGHTS

- External seams.
- Antifreeze fleece lining with rainproof membrane.
- Pre-curved glove.
- Adjustment strap.
- Wrist with grip print.
- Palm with differentiated silicone printed grip.
- Reinforced in the carpal area.



# CRW

SIZES: XXS-XL


- Neoprene with 80% Nylon, 20% Spandex outer coating. Heat-sealed seams.
- Ergonomic preformed palm with silicone print.







APPROVED





Customizable with direct printing.



Light and easily adjustable.



Stretch kart fabric lining.



FLEXIBLE AND ERGONOMIC ADAPTS TO THE SHAPE OF THE BODY IN THE DRIVER'S SEAT.



002406KNRRS..



002406KNRBI..

RIB PRO K-4

#### HIGHLIGHTS



F1-derived ultralight tape.



Adjustable width.




Ultra-strong strap.



(While stocks last)

#### S.I.TECH

#### **SPARCO IMPACT TECHNOLOGY**





#### HIGHLIGHTS



High-strength tape.



Adjustable width.



Ultra-strong strap.



002405K..



Sparco Impact Technology: the new technology made in SPARCO® developed by combining a 4 mm EPDM material with a 6 mm PU foam that provides an incredible performance in terms of antivibration and shock absorber.



# SJ PRO K-3

**ACCESSORIES** 

SIZES: XS-XXL YOUTH SIZES: 120-140 **EXTERNAL MATERIAL: STRETCH POLYESTER** 

#### HIGHLIGHTS



Preformed and ergonomic back padding.



Elastic band.



Front zip closure.



002402K..

- High shock absorption and anti-vibration performance.
- Great breathability.
- Antibacterial to ensure maximum comfort even during the most intense driving sessions.



#### ELBOW PADS NEW

- Stretch, anti-abrasion and breathable outer material.
- En1621-1: 2012 / level 2 certified PU padding.

SIZE: S-M-L



001551E

#### KNEE PADS NEW

- Stretch, anti-abrasion and breathable outer material.
- En1621-1: 2012 / level 2 certified PU padding.


SIZE: S-M-L



001541K

#### K-RING COLLARS

- High density foam collar.
- Sternum support.
- Back support for load distribution on the shoulder blades.
- Fast and safe closing with internal magnet and external strap.







HOMOLOGATION: SNELL K 2015 SIZES: SMALL SHELL FROM XS TO M+ - LARGE SHELL FROM L TO XL

**HOMOLOGATION:** SNELL K 2015 SIZES: SMALL SHELL FROM XS TO M+ - LARGE SHELL FROM L TO XXL

#### HIGHLIGHTS

- Carbon fiber shell reinforced with carbon-kevlar.
- Double size shell and polystyrene with ventilation ducts.
- Removable, adjustable and washable interiors.
- Predisposed for drink system.
- FIA homologated visor with continuous adjustment.



- Fiberglass shell reinforced with carbon-kevlar layers.
- Double size shell and polystyrene with ventilation ducts.
- Removable, adjustable and washable interiors.
- Predisposed for drink system.
- FIA homologated visor with continuous adjustment.



CARBON			
XS	53-54	0033540XS	
S	55-56	00335418	
М	57-58	0033542M	
M+	59	0033543ML	
L	60	0033544L	
XL	61	0033545XL	





WHITE		
XS	53-54	0033550XS
S	55-56	00335518
М	57-58	0033552M
M+	59	0033553ML
L	60	0033554L
XL	61	0033555XL
XXL	62	0033556XXL









003355NR

**ACCESSORIES** 

HOMOLOGATION: SNELL CMR 2016 SIZES: XS-S-M-L

#### HIGHLIGHTS

- Fiberglass shell reinforced with carbon-kevlar layers.
- Continuously adjustable visor.
- Shell with ventilation ducts.



# WHITE XS 53-54 0033580XS S 55-56 0033581S M 57-58 0033582M L 59 0033583L



#### KART COVER

- Outline for the steering wheel, case included.
- Professional, wide to suit any type of kart.



#### **ADHESIVE PROTECTIONS FOR SEATS**

- Adaptable to any type of seat.
- New density, softer.
- Colour: black.



#### TIRE BAG

COMPOSITION: 100% polyester

- Light.
- Very resistant.



UKMANCE SEATS

IM RACING

CLOTHING



SEATS HARNESSES STEERING WHEELS

SIM RACING

LIFESTYLE CLOTHING CESSORIES

# SEATS INDEX

#### **MADE IN ITALY**

#### SPX

SHELL MATERIAL: CARBON LINING: LEATHER / ALCANTARA®



#### SPR

SHELL MATERIAL: FIBERGLASS LINING: SKY / MICROFIBER



#### **QRT PERFORMANCE CARBON** / QRT PERFORMANCE NEW

SHELL MATERIAL: QRT CARBON / QRT LINING: MICROFIBER / LEATHER / ALCANTARA®



SHELL MATERIAL: TUBULAR FRAME LINING: SKY / MICROFIBER



#### **R333**

R100+

SHELL MATERIAL: TUBULAR FRAME LINING: FABRIC















SHELL MATERIAL: TUBULAR FRAME LINING: FABRIC

R100 / R100 SKY

SHELL MATERIAL: TUBULAR FRAME LINING: FABRIC / SKY













SPR ...

**SKY UPHOLSTERY AND MICROFIBER** 

SEAT HANDCRAFTED IN ITALY AVAILABLE IN 2 VERSIONS, DRIVER AND PASSENGER

#### HIGHLIGHTS

- Hand sewn.
- Backrest with knob for millimetric adjustment.



Reclining carbon fiber seat that meets the same specifications as those imposed on OEMs.



00974ZNRSX

00974ZNRDX

Leather and Alcantara® upholstery.



- 271x345 mm lower fastening.
- Base set for belt branch mount (7/16" thread).






Fibreglass frames.





00906NRNR



OEM derived recliner.



**EASY TO INSTALL EVEN IN THE SMALLEST CAR INTERIORS** 

MANUFACTURER: SPARCO
MODEL: QRT-C
HOM. NO: CS.437.19
FIA STANDARD: 8855-1999



Made with Carbon fiber or QRT technology.



Leather and Alcantara® upholstery.





QRT PERFORMANCE







008012RPNR



- 271x345 mm lower fastening.
- Steel tubular frame.




Adjustable headrest.



Tilt lever and back adjustment on both sides.








### HIGHLIGHTS

**COMPATIBLE WITH 3 AND 4 POINT SPORTS SEAT BELTS** 

- 271x345 mm lower fastening.
- Steel tubular frame.



Modern design and ergonomic sitting.



Double adjustment lever and rapid tilting.





009011NRRS ● 009011NRGR ● 009011NR



#### HIGHLIGHTS

- Compatible with 3 and 4 points sports seat belts.
- Double adjustment lever and rapid tilting.
- Reclining.



High ergonomics.




upholstery.







009016ANR



320

# 9 R100 / R100 SKY

**ACCESSORIES** 

**COMPATIBLE WITH 3 AND 4 POINTS SPORTS SEAT BELTS** 

**SEAT SLIDES, SUBFRAMES FOR BOTTOM MOUNTING** 

#### HIGHLIGHTS

- Tubular frame.
- Double adjustment lever and rapid tilting.
- 271x345 mm lower fastening.



Improved ergonomic: greater lumbar comfort and lowered sitting.



SKY upholstery.



R100 SKY





#### SLIDE RUNNERS KR



0049306

Longitudinal distance 271 mm.

#### **UNIVERSAL FITTING KIT**



#### SET OF SLIDE RUNNERS TILT FORWARD BRACKET

0049302 (while stocks last)

**ADAPTOR** 



To be fitted between slides and subframes to allow easy access to the rear seats also on cars with front seats with fixed backrest.



Longitudinal distance 271 mm.



#### **UNIVERSAL SUBFRAME**



For racing seats on seat rails. \*For the complete application list see the price list. With mechanism to adjust the height of the seat, for cars with removable slides from the original seat with distance between slides up to 430 mm.



00491

# HARNESSES INDEX

#### CLUB H-4R NEW

ANCHORAGE POINT: 4 POINTS TYPE: TRACKDAY / OFFROAD FIXING: BOLT ON / ROLLCAGE



#### CLUB H-4M ■ ■

**ANCHORAGE POINT:** 4 POINTS TYPE: TRACKDAY / STRADALE FIXING: SNAP ON



#### CLUB H-3M DUAL

**ANCHORAGE POINT:** 3 POINTS TYPE: TRACKDAY / STRADALE FIXING: SNAP ON




#### CLUB H-4


**ANCHORAGE POINT:** 4 POINTS TYPE: TRACKDAY / STRADALE FIXING: BOLT ON



#### CLUB H-3

ANCHORAGE POINT: 3 POINTS TYPE: CLUBMAN FIXING: BOLT ON






CLUB H-4M

**NOT FIA APPROVED** 

**HOMOLOGATION:** ECE

#### HIGHLIGHTS

- 5-point harness NOT FIA APPROVED.
- Screw fixings with hole 15 mm or rollcage by removing the accessories.
- Pad with repositionable tape under the straps for greater comfort.
- Abdominal straps with pulldown tongues adjusters.
- 2 Inch leg.



#### HIGHLIGHTS

- 4 fixing points.
- Lap reinforcement.





# CLUB H-3M DUAL

**HOMOLOGATION: ECE** 

#### HIGHLIGHTS

- 3 fixing points, snap on.
- Double buckle snap on.
- Lap reinforcement.







04609RNR

## **ACCESSORIES**

**HOMOLOGATION:** ECE

#### HIGHLIGHTS

- 4 fixing points.
- Bolted fixing.







CLUB H-3

**HOMOLOGATION:** ECE

#### HIGHLIGHTS

- 3 fixing points.
- Bolted fixing.



328





Thin microfiber pads.



01090R3RS



01090R3AZ



#### MINI

Pair of pads in Microfiber with high grip neoprene inner layer.

• Useful to improve comfort of driving when fitted on steering wheels or handbrake handle.











01099AZ



#### TOW STRAPS

High resistance steel hook.

- Hole diameter: 15 mm
- Fixed tape.







#### **MUD FLAPS**



03791RS 03791BI 03791AZ

• 03791NR

Curved polyethylene mud guards kit thickness 1,5 mm. Not FIA compliant.

#### **EXTINGUISHER**

#### HAND HELD

Ultra-light extinguisher. 2.0 litre AFFF extinguishing agent. Stainless steel cylinder complete with frame and clamp.



014775BXL2

STEERING

SIM RACING CHAIRS

LIFESTYLE

# **STEERING WHEELS INDEX**





L550 DIAMETER (MM): 350



F-10A DIAMETER (MM): 270



L575 DIAMETER (MM): 350





R383 CHAMPION DIAMETER (MM): 330





L505 DIAMETER (MM): 350



CHAMPION I DIAMETER (MM): 330



L360 DIAMETER (MM): 330





**TARGA 350** DIAMETER (MM): 350



L999 🛮 DIAMETER (MM): 330



L777 ■ ■ DIAMETER (MM): 350





P222 DIAMETER (MM): 345






R383 CHAMPION

MATERIAL: PERFORATED LEATHER

MATERIAL: SUEDE

#### HIGHLIGHTS

- Carbon steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor manufacturers.
- Hole interaxis 6x70mm.






015PC271SSN

#### HIGHLIGHTS

• Perforated leather.





015R383PLUNRS

# F-10A ...


MATERIAL: SUEDE

# R330 CHAMPION

MATERIAL: PERFORATED LEATHER

#### HIGHLIGHTS

- Aluminium steering wheel for prototype single-seater and sports vehicle.
- Ergonomic grip, designed based on experience gained with the racing teams of the most prestigious motor manufacturers.
- Hole interaxis 6x70mm.






015P271SSN

#### HIGHLIGHTS

Perforated leather.





015R330CHAMPION

335

L550 **••** 

MATERIAL: LEATHER

MATERIAL: SUEDE

#### HIGHLIGHTS










L777 ...

L575 ...

MATERIAL: LEATHER / SUEDE

MATERIAL: LEATHER / SUEDE











L999 ...

MATERIAL: SMOOTH / PERFORATED / SUEDE LEATHER


MATERIAL: SMOOTH LEATHER / SUEDE

#### HIGHLIGHTS

Smooth / perforated / suede leather



New horn button colour kit included.





# HIGHLIGHTS • Smooth leather /suede New horn button colour kit included. Ø 36/28



L360 **...** 

MATERIAL: LEATHER / SUEDE


# P222

MATERIAL: POLYURETHANE

#### HIGHLIGHTS



New horn button colour kit included.



**LEATHER** 

015TRGL1TUV

SUEDE

015TRGS1TUV




#### HIGHLIGHTS


• Polyurethane.



New horn button colour kit included.



Ø 35/28





015THPUGR345



• 015THPUNR345

339

# **ACCESSORIES**

#### **MADE IN ITALY**

#### HUB

QUICK RELEASE

#### FOR THE APPLICATION LIST PLEASE CHECK PRICE LIST.

Sparco collapsible hubs are cast iron made with a steel frame that collapse during impacts. This item absorbs kinetics energy avoiding transfer to the driver. The Sparco steering wheels are  $T\ddot{U}V$ approved only if coupled with the Sparco hubs.



#### **HORN DELETE KIT**



#### **RACING PUSH BUTTONS KIT**

#### 015R98TU 015NE981

015NE982



Black anodized supports with push buttons.

In aluminum with CNC milled steel toothed core. Quick release hub for 6-hole steering wheels with mounting on specific vehicle hub.

#### RING

# 01595ANR

ANODIZED STEERING WHEEL SPACERS

01595ANT

01599NR

# PEDAL SET **GEAR KNOBS**

#### PIUMA

#### SETTANTA



Lightened grey/black gear knob.

03741BN01



03741BT01




03736AT



Titan/black two colour gear knob.

#### CARBON









03783L (NO ECE)

#### **SETTANTA - ECE HOMOLOGATED**



Lightened universal black or silver pedal.





0378790P01



Set of pedals, long accelerator pedal.

340

Anodized aluminium.

# SIM RACING SUMMENTAL SUMMENT OF THE PROPERTY OF THE PROPERTY



SIM RACING CHAIRS

4 LIFESTYLE CLOTHING

# **EVOLVE KART**

NEW

#### HIGHLIGHTS

- Cockpit with driving position derived from the real kart championship frames.
- Complete with evolve kart frame, kart pro bracket kit and kart adult pro seat.

#### EVOLVE KART PRO NEW





#### **EVOLVE KART PRO-JUNIOR NEW**

Complete kit with small seat, suitable up to 12 years.



#### HIGHLIGHTS

- Cockpit with driving position derived from the real frames of the kart championship.
- Complete with evolve kart frame, kart endurance bracket kit and kart endurance seat.

#### **EVOLVE KART ENDURANCE NE**





G03920

**EVOLVE GP PRO** 

#### HIGHLIGHTS

- Integrated monitor support (from 24" to 49").
- Adjustable steering wheel and pedal support.
- Seat with fibreglass frame and customisable padding.







G03800RS

#### F1 STYLE DRIVING POSITION SEATES

**GP SKY** 

**GP BRACKETS KIT** AFTERMARKET **I** 







Aftermarket brackets Kit for GP cockpit seat. (NO EVOLVE GP)

008026GRS

008026GNR

008026GNRSKY

G02500NRRS

347

#### HIGHLIGHTS

- Evolve GT-R frame.
- GT-R PRO brackets kit.
- QRT-R gaming seat.



**EVOLVE GT-R PRO NEW** 

# **SEATS AND ACCESSORIES**

EVOLVE KART FRAME

**EVOLVE KART** 

NEW



EVOLVE KART PRO SEATS NEW

with fiberglass fairings with dedicated kart inspiration graphics. Pedal support adjustable longitudinally, vertically and in inclination. Axial and inclination adjustable support.





081989NR

#### **ADHESIVE PROTECTION FOR SEATS**

- Adaptable to any type of seat.
- New density, softer.





#### SIM KART PRO/JUNIOR BRACKETS

For EVOLVE KART frame and KART PRO and PRO JUNIOR seat.



#### ENDURANCE SIM-KART SEAT NEW

Sim-Kart seat with comfort seat, suitabl for long driving sessions.

Compatible with EVOLVE KART and EVOLVE GT-R.



#### PRO ENDURANCE SEAT BRACKETS NEW

For EVOLVE KART frame and SIM-KART ENDURANCE seat.



G02402NR

# **SEATS AND ACCESSORIES**

**EVOLVE GT-R** 

SIM RACING SEATS NOT FIA APPROVED

#### RALLY / GT DRIVING POSITION

PRO ADV



**CIRCUIT II** 

008011GNR



**CIRCUIT I** 

008010GNR

008014GNR



QRT-R



GRID-Q



**REV** 



008012GNR



008009GNR





PR02000



PRO2000 FLUO NEW





**EVO XL** 

008015GNR



EV0



008013GNR

EVO L







OPTIONAL CUSHIONS

Pair of lumbar side backrests.

01022RS

• 01022AZ

• 01022NR



Universal lumbar backrest.



<u>eparco</u>

01023

#### EVOLVE GT-R FRAME



PRO GT-R BRACKETS

**EVOLVE GT-R** brackets Kit. (NO EVOLVE GP)



081988NRRS

#### COCKPIT FLOOR MAT NEW

Sparco gaming cockpit floor mat.

DIMENSION: 180 x 120 cm

Graphic printed on resistant TNT (non-woven fabric). Washable.



EVOLVE-RHS / LHS

Gear shift and handbrake support for EVOLVE GT-R.

Allows all handbrakes and sequential gear shifts on market.




099101NRRS



Right. G02085NRRS G02285NRRS

#### TM-STAND PRO **NEW**





VESA mount 75x75 and 100x100. New side reinforcement bodies and dimensions implemented for maximum compatibility with all cockpits on the market. Perfect in combination with EVOLVE GT-R and EVOLVE KART.

#### DIMENSIONS:

L/D/H 625 mm x 460 mm x (920-1094 mm).

Compatible with EVOLVE KART and EVOLVE GT-R.



G02386NRRS

008007WG77NR

T-SHIRT

SIZES: S-XXL COMPOSITION: 80% POLYPROPYLENE, 17% POLYAMIDE, 3% ELASTANE

# **B-ROOKIE**

T-SHIRT SHORT SLEEVE

SIZES: S-XXL COMPOSITION: 100% COTTON

#### HIGHLIGHTS

- Seamless jaquard t-shirt.
- The combination of these fibres promotes ergonomics, softness, hygroscopicity, breathability, body heat regulation and heat insulation.
- Customizable with transfer printing.



#### HIGHLIGHTS

- Soft cotton 160 GSM.
- Short sleeve



# **GAMING ROOKIE**

T-SHIRT

SIZES: S-XXL COMPOSITION: 100% COTTON

# B-ROOKIE NEW

T-SHIRT SHORT LONG SLEEVE

SIZES: S-XXL COMPOSITION: 100% COTTON

#### HIGHLIGHTS

- Soft cotton 160 GSM.
- Regular fitting.
- Silk-screen printing logos and graphics.



#### • Soft cotton

HIGHLIGHTS

- 160 GSM.
- High collar and long sleeve.



002205NR





002205AZ

002205RS 00a

002205GF

355

# **HYPER-P**

**GAMING TROUSERS** 

SIZES: S-XXL COMPOSITION: 100% POLYESTER

# HYPERSPEED

**DRIVING SOCKS** 


**SIZES:** 38/39 - 40/41 - 42/43 - 44/45 - 46/47 COMPOSITION: 100% NYLON MICROFIBER SOCK WITH SILVER IONS, HYPOALLERGENIC

#### HIGHLIGHTS

- Comfortable and light even after many hours of use.
- Perforated and breathable inserts above the thighs.
- Elastic glove ring.
- Graphics and customisations through sublimation printing.



01370NRRS..



Breathable inner thigh insert.




Mobile phone pocket.




#### HIGHLIGHTS

- Maximum comfort and breathability.
- Heel tab at back for easy pull-on.



Structure with silicone yarn to maximise the grip.



Asymmetrical Plastisol coating for achieving maximum performance.



Heel reinforced with Cordura®.





Comfort configuration (with removable insole)



Feeling configuration (No insole)



01290NRGF..



01290NRAZ..




01290NRVF..

# HYPERDRIVE GAMING SHOES

**SIZES:** 38-46



- Shaped ankle to facilitate movement.
- Reflective tape on back.
- Microfibre reinforcements on toe and heel.
- Ergonomic fussbett.
- Racing-inspired sole.



Knitted sock upper with differentiated structures. Ultra breathable.



Fluorescent Logo and Skid.







001293..NRRS







## **HYPERGRIP+**

**GAMING GLOVES** 

**SIZES:** 8-12

## HYPERGRIP+

**GAMING GLOVES** 

**SIZES:** 8-12

### HIGHLIGHTS

- Updated version of the iconic gaming glove.
- Improved fit.
- Improved pad ergonomics.
- Close fit.
- Elastic cuffs.





Added grip zones for better performance.



Touch-sensitive thumb and index finger.



002095..NRRS



002095..NRAZ





002095..NRGF

### HIGHLIGHTS

- Perforations in the part of the palm that separates the fingers.
- Micro-perforated microfibre on the palm guarantees maximum ventilation without compromising grip.
- Protective foam pads on the alm reduce the stress exerted on the hand.
- Touch-sensitive thumb and index finger.



002094..NRRS

## **MECA III**

**GLOVES** 

COMPOSITION: 47% POLYESTER 35% SUEDE 18% ELASTANE

- The backs of Meca-3 gloves are made from elasticised, printed, scuff resistant fabric.
- The palms are in synthetic, scuff resistant hide and there are reinforcements positioned between thumb and index finger.
- Pads between the fingers provide better breathing.
- Strap for tighter fitting.





002093BMAF 002093AZ



002093NR



002093RS



STINT

### HIGHLIGHTS

- Anti-tip device with backrest lock at 150°.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- Colour-coded base with kickplate.
- Equipped with Pro Caster lockable wheels.



Seat adjustable in height and inclination.




2D armrests with multidirectional movement.





009013NRRS 009013NRVF 009013NRAZ 009013NRNR Warning: this seat must not be used in a car, it is not a car seat.

- Reclining backrest with adjustment lumbar micrometric.
- Sparco AIRFLOW system for maximum breathability.
- Anti-tip device with backrest lock at 150°.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- Colour-coded base with kickplate.
- Fitted with lockable Pro Caster wheels.



Seat adjustable in height and inclination.



4D armrests with multidirectional movement.






Warning: this seat must not be used in a car, it is not a car seat.

## TORINO

CHAIR SUPPLIED WITH LUMBAR AND CERVICAL CUSHIONS INCLUDED



- Special VEP and SKY multi-material zone upholstery.
- Cushions and accessories easily installed with strap on VEP.
- Reclining backrest.
- Anti-tip device with backrest lock at 150°.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.



Seat adjustable in height and inclination.



3D armrests with multidirectional movement.





OO999NRGF OO999NRAF OO999NRAZ OO999NRVF OO999NRNR
Warning: this seat must not be used in a car, it is not a car seat.

SEAT VARIANT WITH FABRIC UPHOLSTERY
CUSTOMIZATION: EASY CUSHION APPLICATION ON VEP AREA

## ICON

SPARCO R100S REPLICA SPORTS CAR SEAT

### HIGHLIGHTS

- Special VEP and fabric multi-material zone upholstery.
- Reclinable backrest with micrometric lumbar adjustment.
- Cushions and accessories easily installed with strap on VEP.
- Anti-tip device with 150° backrest lock.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.



Seat adjustable in height and inclination.



2D armrests with multidirectional movement.





Warning: this seat must not be used in a car, it is not a car seat.

- Reclinable backrest with micrometric lumbar adjustment.
- Anti-tip device with 150° backrest lock.
- Base with SGS/BIFMAX5.1/EN1335 certified piston.
- High resistance polymer spoke with 5 solid wheels.



Seat adjustable in height and inclination.



2D armrests with multidirectional movement.



Warning: this seat must not be used in a car, it is not a car seat.



## **ACCESSORIES**

LOUNGE CHAIR WITH VEP OR SKY UPHOLSTERY **CUSTOMIZATION: ON DEMAND** 

### HIGHLIGHTS

- Ergonomic chair with F1 style position.
- Fiberglass monocoque seat with VEP or SKY upholstery and removable cushions.
- Lined removable leg rest cushion.



Design tubular frame.



Integrated footrest.





#### **CUSHIONS (STINT AND ICON EXCLUDED)**

<u>sparco</u>

01023NR

Ergonomic head cushion.

Universal lumbar backrest.

Lumbar side backrest kit.







• 01022RS • 01022AZ • 01022NR

#### **ARMRESTS COVER**

Compatible with all chairs (Stint excluded).



#### PRO CASTER WHEELS

Compatible with all chairs.





## **3IN1 JACKET**

SIZES: XS-3XL COMPOSITION: 100% POLYESTER **CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND** 

**WINTER JACKET** 

SIZES: XS-3XL COMPOSITION: JACKET: 100% POLYESTER - VEST: 100% POLYESTER **CUSTOMIZATION:** FULLY CUSTOMIZABLE ON DEMAND

MTT01002BM

### HIGHLIGHTS

- Outer jacket with 3-layer fabric, waterproof, with heat-taped seams.
- Coated zips with customized slider.
- Adjustable drawstring on the hood and on the bottom.
- Internal side pocket.
- Internal side stretch inserts.

#### 3 In 1 jacket with hood.

#### On demand colour



MT0100008AZ



MTT01002CE



MTT01002AR804C

MTT01002NR







01364GRNR

01364BMNR





01364NRAZ



### HIGHLIGHTS

- 2-Layer fabric, waterproof, windproof.
- Double density padding stratification, optimised for extreme climate conditions.
- #9 high strength chain central zip.
- Neck cuff with magnetic closure.
- Elastic cuff inserted in the sleeve bottom.

#### Hooded winter jacket.

#### On demand colour



MTT01002BM









MT0100008AZ



MTT01002AR804C













01361GRNR

01361BMNR

01361NRAZ

01361NR

## SOFT SHELL

SIZES: XS-3XL COMPOSITION: 100% POLYESTER **CUSTOMIZATION:** FULLY CUSTOMIZABLE ON DEMAND

## WINDBREAKER

SIZES: XS-3XL COMPOSITION: 100% POLYESTER **CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND** 

### HIGHLIGHTS

- 3-Layer fabric, waterproof, windproof, with coupled internal fleece.
- Stretch side inserts for comfort and superior fitting.
- Neck cuff with magnetic closure.
- Coated zips.
- Elastic cuff inserted in the sleeve bottom.

#### Softshell with comfort interior.

#### On demand colour

MTT01002BM









MTT01002AR804C



<u>eparco</u>

## HIGHLIGHTS

- 2-Layer fabric, waterproof, windproof.
- Internal edged seams.
- Hood finished with Sparco customisations.
- Coated zips.
- Drawstring bottom adjustment.

Light hooded windbreaker.

#### On demand colour



MTT01002BM





MTT01002CE





MTT01002AR804C













01363BMNR



01363NRAZ











01365GRNR 01365BMNR

01365NRAZ 01365NR

01363GRNR

## **FULL ZIP SWEATSHIRT**

SIZES: XS-3XL COMPOSITION: 53% COTTON, 41% POLYESTER, 6% ELASTANE CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

SIZES: XS-3XL COMPOSITION: 100% POLYESTER CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

### HIGHLIGHTS

- Custom coated central zip.
- Reversible, divisible zips.
- Side stretch inserts.
- Internal side pocket.
- Preformed comfort collar.

Windproof, padded, light and lined fabric vest.

#### On demand colour



MTT01002BM










MTT01002AR804C









MTT01002CE

## HIGHLIGHTS

- Trimmed double faced main fabric.
- Stretch side inserts.
- Stretch inserts on the wrists.













01362GRNR



01362BMNR



01362NRAZ



01362NR



01366GRNR





01366NR

01366BMNR 01366NRAZ

## POLO ZIP

SIZES: XS-3XL COMPOSITION: BETWEEN 55%, 39% POLYESTER, 6% ELASTANE CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

## SHIRT LONG SLEEVE

MAN SIZES: XS-3XL LADY SIZES: XXS-L COMPOSITION: 97% COTTON, 3% ELASTANE CUSTOMIZATION: FULLY CUSTOMIZABLE ON DEMAND

### HIGHLIGHTS

- Main fabric pique.
- Side inserts.
- Ultra-light coated zip.
- Chest pocket with invisible zip.

Stretch polyester and cotton fabric with cotton-touch feeling and piquet effect.



### HIGHLIGHTS

- Chest pocket with invisible zip.
- Sparco logo printed on chest.
- French-style collar.
- Buttons with thread in contrast.

#### Stretch poplin fabric shirt.



01368BI





Man



01367BI

01367BMNR



01367NRAZ



01367NR

01369BI

## CORPORATE NEW

**TROUSERS** 

SIZES: XS-3XL COMPOSITION: 97% TWILL COTTON - 3% SPANDEX CUSTOMIZATION: ON DEMAND

## **CORPORATE** NEW

SHORTS

SIZES: XS-3XL COMPOSITION: 97% TWILL COTTON - 3% SPANDEX CUSTOMIZATION: ON DEMAND

### HIGHLIGHTS

#### Regular fit.

- Closure with zip and botton.
- Sparco label on back pocket.
- Sparco embroidery on right pocket.



01394BM



Sparco embroidery on right pocket.

### HIGHLIGHTS

#### Regular fit.

- Closure with zip and botton.
- Sparco label on back pocket and left front leg.





01395BM



Sparco embroidery on right pocket.





01395NR

LIFESTYLE



## DAKAR

LARGE DUFFLE BAG

DIMENSIONS: H70 X L40 X P40 CM CAPACITY: 110 L MATERIAL: WATERPROOF TPU / POLYESTER

## DAKAR

**SMALL DUFFLE BAG** 

DIMENSIONS: H53 X L32.5 X P32.5 CM CAPACITY: 60 L MATERIAL: WATERPROOF TPU / POLYESTER

### HIGHLIGHTS

- Can be used as a backpack or duffel bag.
- Detachable and adjustable shoulder strap.
- Hidden rain-proof zip.
- Transparent address holder.
- Washable interior.
- Printed logo and also applied on the sides of the product with a rubber label.





### HIGHLIGHTS

- Can be used as a backpack or duffel bag.
- Detachable and adjustable shoulder strap.
- Hidden rain-proof zip.
- Transparent address holder.
- Washable interior.
- Printed logo and also applied on the sides of the product with a rubber label.















016442NRAZ



016442NRNR



016442NRRS







016443NRRS

016443NRAZ 016443NRNR

TEAMWEAF & LIFESTYL

387

## TOUR

**TROLLEY BAG** 

DIMENSIONS: H40 X L84 X P38 CM WEIGHT: 4,7 KG CAPACITY: 127 LT MATERIAL: COATED POLYESTER

## **TRAVEL**

**SOFT CABIN SIZE TROLLEY** 

DIMENSIONS: H25 X L55 X P35 CM WEIGHT: 3 KG CAPACITY: 48 LT MATERIAL: COATED POLYESTER

### HIGHLIGHTS

- Double adjustable closure with seat belt style straps.
- Protective padding with racing suit style quilting.
- Lower compartment (2/3). Reinforced on the underside.
- Trolley with reinforced wheels.
- Upper compartment (1/3) with zip opening. Repositionable internal partition. Multi-pocket compartment with net.
- Repositionable internal partitions. Customised Sparco inner lining.



### HIGHLIGHTS

- Telescopic handle.
- Double adjustable closure with seat belt style straps.
- Protective padding with racing suit style quilting.
- Trolley with reinforced wheels.
- Front document pockets. Customised Sparco inner lining.
- Reinforced on the underside.









016437NRSI











016437NRRS

## SUPERSTAGE NEW

**BACKPACK** 

DIMENSIONS: H52 X L40 X P20 CM WEIGHT: 1,10 KG CAPACITY: 42 LT MATERIAL: COATED POLYESTER

## STAGE

RUCKSACK

DIMENSIONS: H40 X L30 X P14 CM WEIGHT: 0,76 KG CAPACITY: 16 LT MATERIAL: POLYESTER

### HIGHLIGHTS

- Two sub-funds.
- 15.6 "Pc holder and 11" tablet.
- Large front pocket and side pockets.
- Ergonomic backrest.
- Organized interiors.
- Lifting handle covered in soft touch material.
- Padded and adjustable shoulder straps.



- 2 hidden front pockets with graphics that echo the Sparco seat belt slider.
- Ergonomic padded and back lined with breathable mesh, horizontal band for inserting telescopic trolley bag handle.
- Padded seat belt style shoulder straps.
- Inner pocket for inserting PC up to 15". Customised Sparco inner lining.







016445NRNR









016440NRAZ



016440NRNR

## DRYTECH

**HELMET HAND F.H.R COLLAR BAG** 

DIMENSIONS: H35 X L35 X P40 CM WEIGHT: 1,3 KG CAPACITY: 49 LT MATERIAL: POLYESTER

## TRIP

**BAG WITH SHOULDER STRAP** 

DIMENSIONS: H35 X L66 X P38 CM WEIGHT: 2,1 KG CAPACITY: 87 LT MATERIAL: POLYESTER

### HIGHLIGHTS

- Helmet drying system with USB 12V power cable.
- Fan cover.
- Protective padding with racing suit style quilting. Customised Sparco inner lining.
- Seat belt style shoulder strap.



016441NRSI

### HIGHLIGHTS

- Double handle with seat belt style straps.
- Customised Sparco inner lining.
- Internal pocket with zip closure.
- Protective feet for the underside.



016439NRSI

## BAJA NEW MULTINECESSAIRE

DIMENSIONS: L22 X 12 X 12 CM CAPACITY: 3,2 LT MATERIAL: POLYESTER

## **CO-DRIVER**

BAG

DIMENSIONS: H35 X L30 X P10 CM CAPACITY: 10,5 LT MATERIAL: POLYESTER

### HIGHLIGHTS

- Material: TPE laminated fabric, polyester.
- D-opening with flap and hinges.
- The internal clip allows you to hang the need for a easier use.
- •Internal pockets for small objects.



016446NRNR

- Supplied with shoulder strap.
- Interior divided into 2 compartments with contrasting lining. Several pockets and external pocket in transparent PVC.
- Back with ribbons and eyelets for anchoring with rollbar.



0164281NR



## LEISUREWEAR

#### **FRAME VEST**

SIZES: S-XXXL

COMPOSITION: 100% polyester



**01259NR..** (while stocks last)

#### **DENVER JEANS**

SIZES: S-XXXL WEIGHT: 350 GR/M2

COMPOSITION: 98% cotton 2% elastane



**02409DE..** (while stocks last)

#### SPORT DRIVE WOOL GLOVE NEW

**COMPOSITION:** 38% polyester, 26% wool, 26% acrylic, 5% polyurethane, 5% leather.

- Made in italy.
- Windproof waterproof membrane.
- •External fabric in warm wool.
- Fleece lining.
- Palm inserts in genuine leather.



#### WILSON WINDSTOPPER

SIZES: S-XXXL

COMPOSITION: 100% polyester





## HOODIES

## **CREW NECK & POLO**























R. Somaschini

## T-SHIRT

MAN SIZE: S-XXL WOMAN SIZE: S-L COMPOSITION: 95% COTTON - 5% ELESTANE

## T-SHIRT

MAN SIZES: S-XXL COMPOSITION: 95% COTTON - 5% ELESTANE



01324BM








01324NR



PILOTA |







01329NR



## S-DRIVE NEW

**SIZES:** 36-47 **SIZES:** 36-47





## HIGHLIGHTS

- Microfiber upper.
- Racing sole.
- Shock absorber and breathable insole in recycled PU with antibacterial treatment.







0012A8..NRBI



- Microfiber and fabric upper.
- Racing sole.
- Shock absorber and breathable insole in recycled PU with antibacterial treatment.
- Breathable fabric tongue.





0012A7..BINR



0012A7..BMRS



0012A7..NRRS



0012A7..NRGR

## **S-LANE**

SIZES: 36-48 SIZES: 36-46





### HIGHLIGHTS

- Breathable mesh upper with reflective prints.
- Three-dimensional reinforcement print.
- Rubber and phylon sole for maximum grip and comfort.
- Comfortable and anti-bacterial insole.
- Tongue with elastic inserts for maximum foot stability.
- Reflective inserts.



# 0012A5..BMRS



- Upper in suede leather with inserts in action leather and mesh for maximum breathability.
- High-visibility printing.
- Lining made of 50% coffee ground fibre (anti-odour and anti-bacterial).
   Ergonomic, cushioned fussbett, double lace (flat on the shoe and second, round, two-colour lace in the box). Ultra-flat asymmetrical tongue for maximum comfort.
- Suola in phylon con inserti in gomma.





001292..AZBI



001292..BMGI



001292..NRRS



001292..NRGR

## **PUMA SPEEDCAT**

TORQUE

**01 CERTIFICATION** (EN ISO 20347:2012) **SIZES:** 36-46

**SIZES:** 36-46





### HIGHLIGHTS

- Lacing.
- Racing style rounded hell.
- Suede upper.
- Rubber sole.





(while stocks last)

001286..RSBI



- Tip with ultra-resistant coated reinforcement.
- Breathable mesh lining.
- Energy absorption heel.
- Easy lacing.
- Phylon sole and oil and hydrocarbon resistant rubber bottom.
- SRA level slip resistance.





001289..NRGF







001289..NRRS



001289..NRNR

**SL-17** 

**SIZES:** 36-48 **SIZES:** 36-46

Karting shoes inspired sneakers.





### HIGHLIGHTS

- Ergonomic insole.
- Breathable fabric and microfibre upper.
- Karting sole.



001288..BMAZ



001288..BMBI

(while stocks last)



001288..RBAZ



001288..NRRS



001288..NGRG

(while stocks last)



001288..NGBI

Low cut microfibre shoe racing inspired.





- Upper in suede leather with inserts in action leather and mesh for maximum breathability.
- High-visibility printing.
- Lining made of 50% coffee ground fibre (anti-odour and anti-bacterial).
   Ergonomic, cushioned fussbett, double lace (flat on the shoe and second, round, two-colour lace in the box). Ultra-flat asymmetrical tongue for maximum comfort.
- Suola in phylon con inserti in gomma.



**001263..RSNR** (while stocks last)



001263..NRRS (while stocks last)



**001263..MBNR** (while stocks last)



001263..NRBI (while stocks last)

## **ACCESSORIES**

#### **FLEXFIT - ORIGINAL CAP**

63% Polyester, 34% cotton, 3% PU baseball cap with elastic band spandex. Taglie: S-M, L-XL



#### SUEDE

100% Suede cotton six-panel cap with 3d embroidered logo.

#### STRETCH

100% Polyester technical fabric five-panel cap with raised tpu rubber logo.



#### TRUCKER

410

Trucker cap with visor and 100% cotton suede front panel and 100% pvc rear mesh for ventilation. Embroidered patch on the front. Sparco 1977

01352BM

**BEANIE REFLEX** 

COMPOSITION: 50% Wool 50% Acrylic fabric.



01354AZBM

#### **BEANIE WINDY**

COMPOSITION: 100% Acrylic fabric.



01232BMAZ

#### GYM TOWEL

DIMENSIONS: 100x50 cm COMPOSITION: 90% Polyester 10% Nylon



099073

#### SPORT BACKPACK

DIMENSIONS: 35x48 cm Side pockets

#### **SPORTSACK**

DIMENSIONS: 33x51 cm

#### **SUIT BAG**

**DIMENSIONS:** 44x35 cm



0160037GR



■ 0160013NR



0160013AZ



016BLU07

CLOTHES HANGER

#### SUNGLASSES I



DIMENSIONS: 120 cm H 4cm Nickel free

**LOGO BELT** 



099059

01356NR



099091AZ

01356AZ

## ACCESSORIES

#### **GOLF UMBRELLA**

Automatic polyester umbrella. Ø 130 cm



#### **LED UMBRELLA**

Foldable automatic polyester umbrella with light. Ø 96 cm



#### WATER BOTTLE

Steel 0,5L



Stainless steel 0,3 L



099112AZ

#### **LEATHER KEY HOLDER**



#### **KEY HOLDER**

099106AZ



099092TEMWORK 099092GAMING 099092SH0E 099092SPARCO 099092SUIT

**PVC KEY HOLDER** 

099071GL0VE

099071SEAT

#### **BRACELETS**











099093NR

099093GI

099093BX

099093RS



#### PADDOCK

The comfortable Sparco paddock Chair has an aluminium frame and is finished in coloured Oxford 600D fabric. The soft arms are padded for maximum comfort at all times. Easy to transport thanks to its folding mechanism.



0990058

#### **WELCOME MAT** DIMENSIONS:

120x80 cm



099058

#### WINDSHIELD BANNER - FRONT

137x17 cm

NOTEBOOK

**METAL PIN** 

Sizes A5



099097AZ

#### **SPIRAL NOTEBOOK**

Sizes A5



099109AZ

099089

### 099110AZ

MAGNET



099111AZ

#### POUF

Soft pouf diameter 40 cm, height 40 cm, with printed S logo in the upper surface.



0750006B

#### DOORMAT

**DIMENSIONS:** 

80x40 cm



099090

#### **WINDSHIELD BANNER - REAR**

120x10 cm



099098AZ

#### LANYARD



099103NRRS

#### KIT OF 10 STICKERS

2 PCS 18 cm 4 PCS 12 cm 4 PCS 8 cm



09003

## **BABY**

#### **NEXT GENERATION**

#### T-SHIRT

Sizes: 3-11 years 100% organic cotton with silk screen printing.



017026NR.. 017026BI..

#### **NEXT GENERATION**

**SWEATSHIRT** Sizes: 3-11 years



017025NR..

#### **NEXT GENERATION**

### HOODIE

Sizes: 3-11 years 100% organic cotton with silk screen printing.



017024BM..

#### CAP NEXT GENERATION

100% polyester 3D embroidered Logo



017028NR

#### **BEANIE REFLEX**

50% wool 50% acrylic. L:18xH19



017029AZBM

414

#### **FUTURE DRIVER**

#### T-SHIRT

Sizes: 3-11 years 100% cotton with digital printing.



017013BI..

**NEXT GENERATION** 



017013NR..

#### SWEATSHIRT

Sizes: 3-11 years 80% cotton 20% polyester with digital printing.



017017NR..

#### SH-17

Sizes: 26-34



001262..SIAZ

#### **CAP CORPORATE**

100% cotton 3D Patch.



017027AZ

#### **BEANIE WINDY**

100% acrylic. L:18xH19



017019BMAZ

#### STRIPES DESIGN

#### T-SHIRT

Sizes: 3-11 years 100% cotton with digital printing.



017020..

#### STRIPES DESIGN

SWEATSHIRT Sizes: 3-11 years

80% cotton 20% polyester with digital printing.



017021..

#### S-POLE YOUTH

Sizes: 26-34



001288B..BMAZ

#### **CAP REBEL**

100% acrylic adjustablé closure.



017015

#### **BEANIE STRIPES DESIGN**

50% wool 50% acrylic. L:18xH19



017022BM

#### BABY EAGLE SUIT

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.

017012AZ..

**SWEATSHIRT** 

digital printing.

12-18, 18-24 (months)

20% polyester with

Sizes: 3-6,

80% cotton



**BABY SLEEPSUIT** 

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.



017018AZ..

### **BABY RACER**

T-SHIRT Sizes: 6-12, 12-18, 18-24 (months) 80% cotton 20% polyester with



#### **BABY RACER**

017016NR..

#### BODY

Sizes: 3-6, 6-9 9-12, 12-18 18-24 (months) 100% organic cotton with digital printing.



#### 017011BI..

#### **CAP REBEL**

Sizes: 0-3,3-6, 6-12 12-24 (months) 100% organic cotton with digital printing.



017014..

#### SPARKY PELUCHE

Polyester + 3 years

099051

41 cm





cotton with digital printing.

**BABY STRIPE DESIGN** 

017023BM..

Sizes:

3-6, 6-9

9-12, 12-18

18-24 (months)

100% organic



digital printing.





## F1000KI

CHILD SEAT GROUP 1+2+3 (9-36KG) ISOFIX

HOMOLOGATION: ECE R44/04 MATERIAL: POLYESTER + PU + SUEDE + HDPE (HIGH DENSITY POLYETHYLENE) + PUR SPONGE

## **SK700**

CHILD SEAT GROUP 1+2+3 (9-36KG) ISOFIX

**HOMOLOGATION:** ECE R44/04 MATERIAL: COVER 82% POLYESTER + 18% PU / FILLING 100% POLYESTER WADDING 100% POLYPROPYLENE





01922IGR

01922IRS



01922IAZ







01920RS

01920GR

## **SK9001**

SEGGIOLINO BIMBO 3 (22-36KG)

**HOMOLOGATION:** ECE R44/04





01921IRS



01921IAZ

01921IGR





6 LIFESTYLE



Aluminum alloy.



10 Inch honeycomb tubeless tyres.



Front light + rear light + brake light.



099107NR

- Led display.
- Turn signal.
- Double suspension front 30km maximum distance 25km/h maximum speed.



099107AZ

### HIGHLIGHTS



Adjustable Height.



Electric and drum rear brake.



High-Luminous Front + Rear Ligh.



099075AZ

- Body size:
  1150x480x1135 mm.
  Folding size:
  1030x220x405 mm.
  Ground distance: 100 mm.
- High performance e long-lasting cells. Choose between 7.5Ah. Up to 35km on one single charge. Rapid charging system.
- Connects via Bluetooth to your phone. Shows Speed, total length, actual length, etc. Scooter Lock function for safety & security.
   Rgulate 3 riding modes (Eco, Normal, Sport).



099075GR 099075NR



**099075BI** (while stocks last)



099075RS (while stocks last)

#### **E-SCOOTER HELMET**

Tg: S-L



099116AZ

- Bike / electric scooter helmet with a dynamic and sporty design.
- High safety, good ventilation and comfortable fit.



099116GF

- Material: PC and EPS (polystyrene foam)
- Safety standard:
   CE / EN1078 (EU), CPSC (USA).



099116NR

• Sizes: S (53-55 cm), 250g M (55-58 cm), 260g L (58-61 cm), 270g

#### PADLOCK



099117AZ



099117GF



099117NR

- High strength cable lock for use on electric bikes/scooters.
- Material: zinc, brass, abs, pvc, steel.
- Dimensions: 12 x 1200 mm.

# SPARCO GENERAL SALES TERMS AND CONDITIONS

#### **DEFINITIONS**

Purchaser: means any party (natural or legal person) that purchases one or more Products, accepting the General Conditions. General Conditions: means these general conditions of sale and any future new versions that may be published on the website by SPARCO. Order Confirmation: means the e-mail message in which SPARCO notifies the Purchaser about acceptance of the order. Contracts of Sale: means the contracts for the sale of Products completed between SPARCO and the Purchaser. Orders: means the orders for the purchase of Products submitted by the Purchaser in accordance with the General Conditions. Parties: means SPARCO and the Purchaser. Price: means the selling price of the Products, as indicated in the On-Line Shop next to each Product. Products: means the products presented for sale in the On-Line Shop. SPARCO: means Sparco S.p.A. with registered offices at Via Leini 524, Volpiano (Turin), CAP 10088, Italy.

#### RECITALS

The following "General Conditions of Sale" govern all sale contracts relating to SPARCO Products, where SPARCO is the seller of the Products. All amendments, clarifications and exceptions to the following general conditions of sale that are agreed and accepted in writing by SPARCO and the Purchaser shall be valid and prevail in the event of conflict. The Purchaser accepts these general conditions, including those regarding use of the trademark, and therefore agrees to comply with all their provisions.

#### SUBMISSION OF ORDERS

Orders must be submitted in writing to SPARCO Customer Service by e-mail, or via the SPARCO system designed for the specific purpose of selling the Products. Orders shall be deemed accepted by SPARCO, in the absence of communications to the contrary from SPARCO. Orders for special items are only accepted if accompanied by complete production details.

#### **RESPONSIBILITIES OF THE PARTIES**

The Purchaser is responsible for any erroneous production and/or non-conformities attributable to the supply of incorrect production information when ordering from SPARCO and, consequently, the Purchaser shall still be required to pay the agreed Price. In the case of special and/or customised Orders, SPARCO shall not be responsible for any use of logos, or for any infringement of logos and/or the rules that expressly govern their use and/or any rights claimed by the owner of the logos and/or by any third parties. The Purchaser requesting special production and/or the application of logos to SPARCO Products expressly confirms:

i. his knowledge of the current regulations governing the use of logos and the civil and/or criminal consequences of any infringements of those regulations;

ii. his relief of SPARCO from any and all liabilities deriving from and/or connected with the use of logos on SPARCO Products.

#### **USE OF THE SPARCO TRADEMARK**

SPARCO is the owner of the SPARCO trademark (word and figurative mark) and all use of that trademark must be authorised in writing by SPARCO. Use of the SPARCO trademark represents confirmation of the commercial origin of the product SPARCO and is authenticity. Use of the SPARCO trademark and its inclusion in advertising, websites, promotional articles, exhibition stands, window displays, signs, catalogues etc. must always be approved in advance by SPARCO Brand Management and must always comply with the guidelines approved by SPARCO. SPARCO is the only owner of all Internet domain names containing the word "Sparco" and use of the word must be governed by a specific licensing agreement. Use of the SPARCO trademark on third-party products (under licence) is subject to the supervision of SPARCO Brand Management and must be governed by specific contracts signed between SPARCO and the third party concerned. Images of drivers and/or teams that wear/use SPARCO products cannot be used unless specifically authorised by the driver and/or team concerned.

Upon request and by the deadline indicated, the Purchaser has a duty to provide SPARCO with evidence of the use of its name in the Territory, including its use for advertising, selling and/or distribution purposes.

#### **USE OF THIRD-PARTY LOGOS FOR CUSTOMISATION PURPOSES**

In order to use third-party logos on a customised SPARCO Products (company emblems, sponsor logos, photographs etc.) it is necessary to hold rights over them and, therefore, in order to apply a third-party logo, SPARCO requires the Purchaser to confirm in writing that it is:

i. authorised to use the logo for commercial purposes;

ii. aware that SPARCO is not responsible for any unlawful use of third-party logos that infringes the rights claimed by their owners and/or by any third parties;

iii. aware that the unlawful use of protected logos by third parties is punishable by law with application of the envisaged monetary penalties.

#### **DELIVERY TERMS**

The Products are delivered "ex works SPARCO", unless any exceptions are agreed in writing. On shipment, all risks associated with the Products acquired are transferred to the Purchaser.

#### PRODUCT RANGE, PRICES AND PAYMENT

The Products illustrated in the SPARCO catalogues and/or price lists are merely indicative, as SPARCO reserves the right to modify the range, the specifications and the prices of Products at any time.

If changes are made following the Order Confirmation, SPARCO will inform the Purchaser on a timely basis. The ownership of SPARCO Products is only transferred to the Purchaser on completion of the payment. Failure to pay an invoice will result in an immediate freeze on shipments and the acceptance of new Orders.

#### WARRANTY AND RETURN PROCEDURES

SPARCO Products are warranted against manufacturing defects for a period of 2 (two) years from the date of purchase. This warranty is void if Products are altered and/or used and/or maintained improperly, as determined with reference to the User and Maintenance Manual (when supplied). The SPARCO warranty excludes all labour and transport costs. The Purchaser accepts the SPARCO warranty conditions regarding the use and maintenance of the Products. Complaints about damaged shipments and/or theft must be notified to the courier before acceptance of the Products by the Purchaser. Requests for credit for damage and/or theft will be ignored unless specific reservations are written on the delivery documents presented by the courier.

Manufacturing defects must be notified to SPARCO within 30 (thirty) days from the date of delivery.

With regard to material or manufacturing defects, howsoever arising and with whatsoever consequences, SPARCO shall only be required to replace, repair or credit the price for the defective product, at its sole discretion. All complaints and returns under warranty must be authorised in writing by SPARCO before the Products are returned. Such authorisation will be given or refused on the basis of the description of the defect/complaint and the evidence provided by the Purchaser. Authorisation of the return shall not be deemed acceptance of the complaint or a reason for replacement. Products no longer in production or whose type approval has expired cannot be returned, except in the case of recognised manufacturing defects.

All Products returns must be received "carriage paid" by SPARCO and must be accompanied by delivery documents that are complete and accurate in all respects (quantity/item code/description).

#### **COMPLIANCE WITH THE CODE OF ETHICS**

Pursuant to the provisions of Decree 231 dated 8 June 2001 and subsequent amendments and additions (the "Decree"), as well as to the principles, regulations and standards envisaged in the organisation, management and control model adopted by SPARCO pursuant to the Decree (the "Model") and the code of ethics containing the corporate ethical standards adopted by SPARCO (the "Code of Ethics"), SPARCO has published the Model and the Code of Ethics on the SPARCO website, www.sparco-official.it.

SPARCO invites the Purchaser to read the Model and Code of Ethics, to comply with the principles and values expressed in the Code of Ethics, to behave in a manner consistent with the Model and, in all cases, to behave in a way that does not expose SPARCO to the risk of incurring the penalties envisaged in the above Decree.

#### JURISDICTION

All disputes relating to these General Conditions of Sale and to the sales governed by them shall be referred to the sole jurisdiction of the Milan Court.

#### PRIVACY

All information processed by SPARCO that is identifiable as "personal data" will be processed in full compliance with current regulations, with particular reference to Regulation (EU) 2016/679 ("GDPR"), Decree 196/2003 and all other applicable regulations.





